







THULE
SWEDEN

Thule Rapid System Kit 1841

> Instructions

CITROËN DS4, 5-dr Hatchback, 11–

CITROËN DS4 Crossback, 5-dr Hatchback, 16–



ISO 11154-E

141841

C.20160908


519-1841-01

Bring your life


thule.com





167 x1




169 x1



32 x2




1197 x1



1191 x1



1190 x2






x1



x1

1

	X (scale)	X (mm)	X (inch)
CITROËN DS4, 5-dr Hatchback, 11-	38,5	1036	40 ³/₄
CITROËN DS4 Crossback, 5-dr Hatchback, 16-	38,5	1036	40 ³/₄





	Y (scale)	Y (mm)	Y (inch)
CITROËN DS4, 5-dr Hatchback, 11-	34,5	996	39 ¹/₄
CITROËN DS4 Crossback, 5-dr Hatchback, 16-	34,5	996	39 ¹/₄



2

CITROËN DS4, 5-dr Hatchback, 11-




CITROËN DS4 Crossback, 5-dr Hatchback, 16-




3



	W (mm)	Z (mm)	W (inch)	Z (inch)
CITROËN DS4 , 5-dr Hatchback, 11-	60	730	2 ³/₈	28 ³/₄
CITROËN DS4 Crossback , 5-dr Hatchback, 16-	60	730	2 ³/₈	28 ³/₄



CITROËN DS4



CITROËN DS4 Crossback

