

XEROX® VERSALINK® PRINTER AND MULTIFUNCTION PRINTER

Configurable, connected and highly capable.

B600/B605



ConnectKey®
Technology



Xerox® VersaLink® B600 Printer and Xerox® VersaLink® B605 Multifunction Printer

For a black-and-white printer or multifunction printer, the VersaLink B600/B605 is anything but basic. In fact, VersaLink sets a new standard for what you can expect in workgroup productivity from Xerox. Home or away, this highly configurable, cloud-connected workplace assistant delivers completely new capabilities that go far beyond the competition—at a competitive price.

EASY, SMART AND SECURE.

Right out of the box, you'll count on your VersaLink B600 or B605 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

Completely re-engineered for superior reliability, the VersaLink B600 and B605 feature a new hardware design with fewer moving parts, strengthened paper-path components, and a more advanced Hi-Q LED print head.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

CUSTOMIZABLE, APP-BASED FUNCTIONALITY.

With the customizable, capacitive 7-inch color touchscreen (5-inch on the B600), you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the

Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

CLOUD AND MOBILE CONNECTIVITY.

The VersaLink B600 Printer and VersaLink B605 Multifunction Printer gives you the freedom to work where and how you want—with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

¹ Scan Preview available for all VersaLink B605 configurations; Fax Preview available for VersaLink multifunction printers with faxing capabilities.

To learn more about VersaLink device features, go to www.xerox.com/VersaLinkEG

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.



Xerox® VersaLink® B600 Printer
Print.

Xerox® VersaLink® B605 Multifunction Printer
Print. Copy. Scan. Fax. Email.

- 1 500-sheet output tray** on VersaLink B600 and **400-sheet output tray** on VersaLink B605, both with full tray sensors.
- 2 The internal card reader** is located next to the touch screen on the VersaLink B605 and the **Card Reader Bay / internal card reader compartment** is located behind the touch screen on VersaLink B600 (External Card Reader/RFID Kit is required when Finisher/Mailbox is included).
- 3 A front-side USB port²** allows users to quickly print from or scan to³ any standard USB memory device.
- 4 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.
- 5 Tray 1** handles up to 550 sheets with custom sizes of 2.5 x 8.5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.
- 6 The 100-sheet Single-pass Duplex Automatic Document Feeder (DADF)** scans two-sided originals for copy, scan and fax jobs.
- 7 The optional cabinet** (includes Caster Base) provides storage for toner cartridges and other supplies.
- 8 The High Capacity Feeder** (includes Caster Base) adds up to 2,000 sheets with standard sizes of 8.5 x 11 in./A4.
- 9 Add up to 4 additional 550-sheet paper trays** that handle sizes from 2.5 x 8.5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).
- 10 The optional finisher** collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.
- 11 The optional mailbox** includes 4 bins and each tray can handle up to 100 sheets.

³ USB ports can be disabled

⁴ VersaLink B605 only

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced color touchscreen interface. Whether 7-inch (B605) or 5-inch (B600), it's a user experience that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B600 Printer and VersaLink B605 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B600/B605

ConnectKey®

Technology

The VersaLink B600 Printer and B605 Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit www.connectkey.com.

DEVICE SPECIFICATIONS		VersaLink B600 Printer DN, DT, DX, DXF, DXP	VersaLink B605 Multifunction Printer S, X, SF, SP, XF, XP, XTF, XTP
Speed		Up to 58 ppm letter/Up to 55 ppm A4	
Duty Cycle¹		Up to 250,000 pages/month¹	
Processor/Memory/Hard Drive		1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Controller Features		Unified Address Book (B605), Configuration Cloning, Scan Preview (B605), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)	
Paper Handling	Standard	NA	Single-Pass Duplex Automatic Document Feeder (DAADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
		Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm	
	Optional	Up to 4 Additional Trays (1 Additional Tray standard on B600/DT): Up to 550 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4
Paper Output	Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options
	Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on S, X, SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP, not available on S, X, SF, XF, XTF): Four 100-sheet bins
Automatic Two-sided Output		Standard	
Copy and Print Resolution		Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi
First-page-out Time		Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™	
INTUITIVE USER EXPERIENCE			
Customize and Personalize		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio	
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®	
Xerox® Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning	
Preview		NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode	
Scan		NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax²		NA	Fax Features (B605/X, XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUD READY			
Mobile Printing		Apple® AirPrint®⁵, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™	
Mobility Options		@PrintByXerox³, Xerox® Mobile Print and Mobile Print Cloud⁴, Connect via NFC/Wi-Fi Direct Printing⁴, Xerox® Mobile Link App (B605)³. Visit www.xerox.com/officemobileapps for available apps.	
Cloud Connectors³		Print from/Scan to⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® and more	
BENCHMARK SECURITY			
Network Security		IPsec, HTTPS, encrypted email, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate	
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay	
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation)	
Document Security		Secure Print, Secure Fax (B605), Secure Scan (B605), Secure Email (B605), Password Protected PDF (B605)	
ENABLES NEXT GENERATION SERVICES			
Print Management		Xerox® Print Management and Mobility Suite⁴, Configuration Cloning, Xerox® Standard Accounting, Equitrac⁴, Y Soft⁴ and more	
Managing Print		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools	
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	
GATEWAY TO NEW POSSIBILITIES			
Cloud Services		Xerox® Easy Translator (B605)⁴, Xerox® Healthcare MFP (B605 – U.S. only)⁴, many additional services available	
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line; ³ Free optional download; ⁴ Purchased option;

⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan to available for B605.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

Supplies

Standard Capacity Toner Cartridge:	
Black: 10,300 pages ⁷	106R03940
High Capacity Toner Cartridge:	
Black: 25,900 pages ⁷	106R03942
Extra High Capacity Toner Cartridge:	
Black: 46,700 pages ⁷	106R03944
Drum Cartridge: 60,000 pages ⁸	101R00582

Options

550-sheet Feeder	097S04949
High Capacity Feeder (2,000 sheets)	097S04948
Stand/Cabinet	097S04955
Caster Base	097S04954
Finisher (500 sheets, 50-sheet stapler)	097S04952
4-Bin Mailbox (100 sheets per bin)	097S04953
Wireless Network Adapter (Wi-Fi Kit)	497K16750
Productivity Kit with 250 GB HDD	497K18360
RFID Card Reader Kit	497K18380

⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB600Specs or www.xerox.com/VersalinkB605Specs.

For more information, visit us at www.xerox.com/office.

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, DocuShare®, Global Print Driver®, Mobile Express Driver®, VersaLink® and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 10/17 BR21761

VB6BR-01UA

