

iQ300, Canopy Extractor, 75 cm, Silver metallic
LB75564



Optional accessories

LZ73050 Standard odor filter

The powerful canopy cooker hood is concealed above the cooktop.

- ✓ The 670 m3/h extraction rate supplies clean air when cooking.
- ✓ The intensive setting temporarily increases the extraction rate when kitchen vapour is especially intense.
- ✓ Extremely quiet at a mere 45 dB.

Features

Technical data

Typology : Traditional
Approval certificates : Australia Standards, CE, VDE
Length electrical supply cord (cm) : 130
Required niche size for installation (HxWxD) : 255mm x 700mm x 350mm
Net weight (kg) : 9.214
Type of control : mechanical
Maximum output air extraction (m3/h) : 390
Boost position output recirculating (m3/h) : 430
Maximum output recirculating air (m3/h) : 320
Boost position air extraction (m³/h) : 640
Number of lights : 2
Noise level (dB(A) re 1 pW) : 59
Diameter of air outlet (mm) : 120 / 150
Grease filter material : Washable aluminium
Odour filter : No
Operating Mode : Convertible
Optional accessories : HZG9AS00S, LZ73050, LZ74020
Type of lamps used : Halogen
Total power of the lamps (W) : 40
Grease filter type : Kassette
Connection Rating (W) : 240
Current (A) : 10
Voltage (V) : 220-240
Frequency (Hz) : 50
Plug type : Gardy plug w/ earthing
Installation typology : Built-in
Material body : Lacquered
Approval certificates : Australia Standards, CE, VDE
Plug type : Gardy plug w/ earthing
Dimensions of the product, with chimney (if exists) (in) : / x x
Dimensions of the packed product (in) : 11.41 x 31.10 x 17.32
Net weight (lbs) : 20
Gross weight (lbs) : 23
Motor location : Integrated motor in hood body
No-return airflow flap : No
Length electrical supply cord (cm) : 130
Dimensions of the product, with chimney (if exists) (mm) : 255 x 730 x 380
Dimensions of the packed product (HxWxD) (mm) : 290 x 790 x 440
Net weight (kg) : 9.214
Gross weight (kg) : 10.3



4 242003 271865

**iQ300, Canopy Extractor, 75 cm, Silver
metallic
LB75564**

Features

Design:

- Ducted/Recirculating operation
- For installation in a modified cupboard, above a hob
- 2 x 20 W halogen lights


Comfort and Safety:

- 3 speed control plus intensive setting
- Sliding switch control for extractor speeds and light


** In accordance with the EU-Regulation No 65/2014*

iQ300, Canopy Extractor, 75 cm, Silver metallic
LB75564


Dimensioned drawings



measurements in mm



measurements in mm



measurements in mm