

ThinkCentre M93z AIO 10AF0014++

Region WE	Keyboard / Mouse USB
Machine Type 10AF	Intel vPro None
TopSeller TopSeller	Global(G) None
Processor i3-4150	Preload Win7 Pro64 DG Win8.1
Memory 4GBx1	Warranty 3-year, onsite
Display 23.0" FHD	Ann date (mm/yy) 07/14
Camera None	
Storage 500GB 7200 rpm	Note: Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "***" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries
Optical DVD±RW	
Graphics Intel HD Graphics 4400	
Multi-touch No	
WLAN Intel N7260 b/g/n	
Media reader Media	
Light sensor Light sensor	
Serial &PS/2 port None	
Chassis Intrusion switch Switch	
Stand type Monitor	



This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<http://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2017. All rights reserved.



ThinkCentre M93z Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

Processor	Intel® I Pentium® or 4th Generation Intel Core™ i3 / i5 / i7 Processors						Manageability	Intel Active Management Technology 9.0 (Intel AMT 9.0); Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)																					
	Processor	Cores / Threads	Frequency (Base/Max)	Cache	Memory Types	Integrated Graphics	Security chip	Trusted Platform Module (TPM 1.2-compliant)																					
	Pentium G3220	2 / 2	3 GHz	3 MB	DDR3-1333	Intel HD	Security features	- Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis) - Power-on, Admin, Hard disk password - Boot sequence control - Boot without keyboard and mouse - Individual USB port disablement - Optional Chassis intrusion switch																					
	Pentium G3240	2 / 2	3.1 GHz	3 MB	DDR3-1333	Intel HD	Keyboard	<i>Some:</i> Preferred Pro USB Keyboard (USB connector), Lenovo logo																					
	Core i3-4130	2 / 4	3.4 GHz	3 MB	DDR3-1600	HD 4400	Mouse	<i>Some:</i> Ultralim Plus Wireless Keyboard (2.4GHz via USB receiver), black																					
	Core i3-4150	2 / 4	3.5 GHz	3 MB	DDR3-1600	HD 4400		<i>Some:</i> Enhanced Optical USB Mouse, black, Lenovo logo																					
	Core i3-4330	2 / 4	3.5 GHz	4 MB	DDR3-1600	HD 4600		<i>Some:</i> Ultralim Plus Wireless Mouse (2.4GHz via USB receiver), black																					
	Core i5-4430S	4 / 4	2.7 GHz / 3.2 GHz	6 MB	DDR3-1600	HD 4600	Mechanical	- Business black color - Toolless back cover, stand, disk, optical drive, memory removal - Support VESA mount (100mm)																					
	Core i5-4440S	4 / 4	2.8 GHz / 3.3 GHz	6 MB	DDR3-1600	HD 4600		<table><tr><th>Optional Stand</th><th>Dimensions (WxDxH)</th><th>Weight</th><th>Adjustments</th></tr><tr><td>Non-touch model(s) with frame stand:</td><td>22.4 X 3.6 X 17.6 (inch); 568 X 92.5 X 447.3 (mm)</td><td>21.3 lb; 9.68 kg</td><td rowspan="2">Tilt: 10° to 45° back</td></tr><tr><td>Multi-touch model(s) with frame stand:</td><td>22.4 X 3.7 X 17.6 (inch); 568 X 93.1 X 447.3 (mm)</td><td>24.7 lb; 11.22 kg</td></tr><tr><td>Non-touch model(s) with monitor stand:</td><td>22.4 X 9.7 X 17.4 to 21.7 (inch); 568 X 247 X 441.2 to 551.2 (mm)</td><td>25.5 lb; 11.58 kg</td><td rowspan="2">Tilt: 45° back, -5° forward; Lift: 110mm; Swivel: +/-45°</td></tr><tr><td>Multi-touch model(s) with monitor stand:</td><td>22.4 X 9.7 X 17.4 to 21.7 (inch); 568 X 247 X 441.2 to 551.2 (mm)</td><td>28.9 lb; 13.12 kg</td></tr></table>				Optional Stand	Dimensions (WxDxH)	Weight	Adjustments	Non-touch model(s) with frame stand:	22.4 X 3.6 X 17.6 (inch); 568 X 92.5 X 447.3 (mm)	21.3 lb; 9.68 kg	Tilt: 10° to 45° back	Multi-touch model(s) with frame stand:	22.4 X 3.7 X 17.6 (inch); 568 X 93.1 X 447.3 (mm)	24.7 lb; 11.22 kg	Non-touch model(s) with monitor stand:	22.4 X 9.7 X 17.4 to 21.7 (inch); 568 X 247 X 441.2 to 551.2 (mm)	25.5 lb; 11.58 kg	Tilt: 45° back, -5° forward; Lift: 110mm; Swivel: +/-45°	Multi-touch model(s) with monitor stand:	22.4 X 9.7 X 17.4 to 21.7 (inch); 568 X 247 X 441.2 to 551.2 (mm)	28.9 lb; 13.12 kg
Optional Stand	Dimensions (WxDxH)	Weight	Adjustments																										
Non-touch model(s) with frame stand:	22.4 X 3.6 X 17.6 (inch); 568 X 92.5 X 447.3 (mm)	21.3 lb; 9.68 kg	Tilt: 10° to 45° back																										
Multi-touch model(s) with frame stand:	22.4 X 3.7 X 17.6 (inch); 568 X 93.1 X 447.3 (mm)	24.7 lb; 11.22 kg																											
Non-touch model(s) with monitor stand:	22.4 X 9.7 X 17.4 to 21.7 (inch); 568 X 247 X 441.2 to 551.2 (mm)	25.5 lb; 11.58 kg	Tilt: 45° back, -5° forward; Lift: 110mm; Swivel: +/-45°																										
Multi-touch model(s) with monitor stand:	22.4 X 9.7 X 17.4 to 21.7 (inch); 568 X 247 X 441.2 to 551.2 (mm)	28.9 lb; 13.12 kg																											
	Core i5-4460S	4 / 4	2.9 GHz / 3.4 GHz	6 MB	DDR3-1600	HD 4600	Power supply	150 watts, autosensing, 85% PSU																					
	Core i5-4570S	4 / 4	2.9 GHz / 3.6 GHz	6 MB	DDR3-1600	HD 4600	Limited warranty ³	<i>Some:</i> 3-year, depot repair service <i>Some:</i> 1-year or 3-years, limited onsite service <i>Some:</i> 3-years, limited onsite service, OID (Onsite International Delivery) / For Lenovo service upgrade options, please go to S-TC sheet																					
	Core i5-4570T	2 / 4	2.9 GHz / 3.6 GHz	4 MB	DDR3-1600	HD 4600	Preload	<i>Some:</i> Windows® 7 Professional 64 <i>Some:</i> Windows 7 Professional 64 preinstalled through downgrade rights in Windows 8/8.1 Pro 64 Ready to install applications (only some listed) - Rescue and Recovery™ - Password Manager Preloaded applications (only some listed) - ThinkVantage® Product Recovery - ThinkVantage System Update - ThinkVantage Communication Utility - ThinkVantage Device Experience - ThinkVantage AutoLock - Desktop Power Manager - View Management Utility - Lenovo Solution Center - Norton™ Internet Security (30 days of virus definitions) - Adobe® Reader® - Skype™ - Microsoft Office preloaded; purchase a product key to activate - Cyberlink Power2Go (DVD±RW) - Cyberlink PowerProducer (DVD±RW) - Evernote - Lenovo Solutions for Small Business - Nitro Pro																					
	Core i5-4590S	4 / 4	3 GHz / 3.7 GHz	6 MB	DDR3-1600	HD 4600		<i>Some:</i> Windows 8 Pro 64-bit <i>Some:</i> Windows 8.1 Pro 64-bit Web install applications (only some listed) - Password Manager Preloaded applications (only some listed) - ThinkVantage System Update - ThinkVantage AutoLock - Desktop Power Manager - View Management Utility (for Windows 8 only) - Lenovo Solution Center - Lenovo Support - Norton Internet Security (30 days of virus definitions) - Skype™ - Microsoft Office preloaded; purchase a product key to activate - Cyberlink PowerDVD (DVD±RW, DVD) - Cyberlink Power2Go (DVD±RW) - Cyberlink PowerProducer (DVD±RW) - Evernote® - Lenovo Solutions for Small Business - Nitro Pro - AccuWeather - Norton™ Studio - Pokki (for Windows 8.1 only) - Hightail (for Windows 8.1 only)																					
	Core i5-4670S	4 / 4	3.1 GHz / 3.8 GHz	6 MB	DDR3-1600	HD 4600	Environment	EPEAT™ Gold rating; ENERGY STAR® 6.0-compliant; TCO Certified Edge; TUV Green Mark; ULE Gold; EuP 2013; Cisco EnergyWise compatible; GREENGUARD® certified; RoHS-compliant																					
	Core i7-4770S	4 / 8	3.1 GHz / 3.9 GHz	8 MB	DDR3-1600	HD 4600	Accessories	For compatible accessories, please go to TC-AQP sheet																					
	Core i7-4790S	4 / 8	3.2 GHz / 4 GHz	8 MB	DDR3-1600	HD 4600																							
Memory	16GB max, PC3-12800 1600MHz DDR3* , two 204-pin SODIMM sockets (notebook) *System automatically clocks down for processors with 1333MHz memory controller																												
Disk	<i>Some:</i> SATA 6.0Gb/s, 3.5" Wide, 7200 rpm <i>Some:</i> 500GB (5400 rpm, 2.5" wide) or 1TB (7200 rpm, 3.5" wide) Solid State Hybrid Drive (SSHD) / with 8GB MLC NAND flash memory, SATA 6.0Gb/s <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Wide																												
Optical	<i>Some:</i> DVD, SATA 1.5Gb/s, 12.7mm high <i>Some:</i> DVD burner, SATA 1.5Gb/s, 12.7mm high																												
Media reader	Optional 11-in-1 media card reader																												
Graphics	Intel HD Graphics or Intel HD Graphics 4400/4600 in processor, uses main memory, DirectX® 11, external monitor support via DisplayPort™, supports dual independent display; <i>Max resolution:</i> 3840x2160 (DP)@60Hz [HD 4x00]; 2560x1600 (DP)@60Hz [Intel HD]																												
Display	23.0" (584.2mm) Full HD 1080p (1920x1080) TFT color , IPS panel, wide viewing angle (+/- 89°), LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, anti-glare, work as standalone monitor via VGA-in connector Optional ambient light sensor																												
Light sensor	Optional Projected Capacitive Touch (PCT) technology, supports 10-point touch																												
Multi-touch	Camera on top of screen, 2.0-megapixel, fixed focus, supports 1080p, with dual array digital microphone, LED indicator, physical switch on/off																												
Camera	Microphone mute (OSD exit), monitor mode switch (OSD enter), volume up/down buttons (OSD left/right buttons), and power button																												
Controls																													
Chipset	Intel Q87 Chipset																												
Rear ports	Four USB 3.0, ethernet (RJ-45), DisplayPort-out, VGA-in, optional serial (9-pin), optional keyboard (PS/2), optional mouse (PS/2)																												
Side ports	Two USB 3.0 (one Always On / Powered), one microphone (stereo, 3.5mm), one headphone / microphone combo jack (stereo, 3.5mm)																												
PCIe Mini Card	One PCI Express Mini Card slot (half size, for WLAN)																												
Audio support	High Definition (HD) Audio, Realtek ALC283 / two internal stereo speakers (3W x 2), Dolby® Advanced Audio™ v2 certified, Microsoft Lync™ certified																												
WLAN ¹³	<i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 105, 1x1 <i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Centrino Wireless-N 2230, Wi-Fi + Bluetooth combo adapter, 2x2 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6235, Wi-Fi + Bluetooth combo adapter, Intel vPro technology support, 2x2 <i>Some:</i> 11b/g/n, PCIe Half Mini Card, Intel Wireless-N 7260, Wi-Fi/BT 4.0, 2x2 <i>Some:</i> 11ac/a/b/g/n, PCIe Half Mini Card, Intel Dual Band Wireless-AC 7260, Wi-Fi + BT combo adapter, Intel vPro technology support, 2x2																												
Bluetooth™	<i>Some:</i> Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter																												
Ethernet	One gigabit ethernet port, Intel I217-LM (Clarkville), Wake on LAN®																												

See footnotes for more detailed information

ThinkCentre M93z AIO

