

[Export](#)**Product Spec. :**

Display Website Spec.

Model	
Part No	9S6-AC0111-217
SKU Number	00-AC0111-217
Brand	MSI
Platform	INTEL
Series Name	Pro
Segment Name	PRO
Segment Name2	AP222T
Segment Name3	AP222T 13M
Model	AC01
MKT Name	PRO AP222T 13M
Entity MKT Name	PRO AP222T 13M-217ES-BG74004GS12X11PBAMS
MKT Spec	PRO AP222T 13M-217ES
Website Name	PRO AP222T 13M
Color	ID1/Black-Black-Black
System/Barebone	System
Display	
Screen Size	21.5" (55 cm)
Active Display Area (mm)	476.064(H) x 267.786(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.2745(H)x0.2745(V)
Brightness (nits)	250
Contrast Ratio	1000:1
Signal Frequency	64~83 KHz(H) / 50~75 Hz(V)
Refresh Rate	N/A
Response Time (GTG)	14ms (Typ)
View Angles	178°(H)/178°(V)
Surface Treatment	Anti-Glare
Touch Screen	10 Points Projected Capacitive Touch Screen
Display Colors	16.7M
Processor	
CPU Core Name	ALDER LAKE-S
CPU Socket	LGA-1700pin
CPU Number	Intel Pentium G7400
CPU Clock	3.7GHz
CPU Cores	2
TDP	46W
Max Turbo Frequency	-
Cache	6 MB Intel® Smart Cache
Threads	4
Chipset	
Chipsets	H610
Graphics	
GPU1 Vendor	N/A
GPU1 MKT Name	N/A
GPU1 Number	UMA
GPU1 VRAM Size	N/A

GPU1 VRAM Type	N/A
Memory	
Memory Size	4GB(4GB*1)
Memory Type	DDR4 SDRAM
Memory Speed	1600(3200)MHz
Module Type	SO-DIMM
Memory Slot	1
Memory Slot(Total)	2
Memory Slot(Free)	1
Max Capacity	Max 64GB
Storage	
SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
SSD Form Factor	M.2-2280 M-KEY
SSD Config	128GB*1
SSD Size	128GB
HDD1 Interface	N/A
HDD1 Form Factor	N/A
HDD1 Size	N/A
HDD1 RPM	N/A
ODD(Type)	N/A
ODD Height	N/A
ODD Type	N/A
mSATA slots	N/A
mSATA slots(Total)	NA
mSATA slots(Free)	0
M.2 slots	1
M.2 slots(Total)	1
M.2 slots(Free)	0
2.5" Drive Bays	N/A
2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1
3.5" Drive Bays	N/A
3.5" Drive Bays(Total)	NA
3.5" Drive Bays(Free)	0
Communications	
LAN	Realtek RTL8111H
WLAN	INTEL/9462.NGWWG.NV
WLAN Version	802.11ac 1x1+BT
BT Version	5
I/O Ports (Side)	
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
USB 3.2 Gen 2 Type C	NA
USB 3.2 Gen 2 Type A	NA
USB 3.2 Gen 1 Type C	1
USB 3.2 Gen 1 Type A	1
USB 2.0 Type A	NA
Thunderbolt	
Type-C in	
Mic-in	NA
Headphone-out	NA
Headphone-out (HiFi / SPDIF)	NA

Mic-in/Headphone-out combo	NA
Card Reader	1
I/O Ports (Rear)	
USB 3.2 Gen 2x2 Type C (R)	NA
USB 3.2 Gen 2x2 Type A (R)	NA
USB 3.2 Gen 2 Type C (R)	NA
USB 3.2 Gen 2 Type A (R)	2
USB 3.2 Gen 1 Type C (R)	NA
USB 3.2 Gen 1 Type A (R)	NA
USB 2.0 Type C (R)	NA
USB 2.0 Type A (R)	2
USB 2.0 Type A (Top)	NA
RJ45	2
VGA out	NA
HDMI out	1x (v2.1)
HDMI in	1
DP out	NA
mini DP out	NA
Line-out (R)	NA
PS/2	NA
COM Port	1
DVI-D out	NA
Mic-in/Headphone-out combo (R)	NA
Printer Port (Parallel)	NA
Lock type	Kensington
Input Device	
Webcam	internal webcam
Webcam Resolution	1.0MP (720P)
Webcam supports Windows Hello or not	No
Audio	
Audio Chipset	Realtek ALC897
Audio Type	4 Channel HD Audio
Speaker	2 x 2W
Power	
AC Adapter Output	120W
Battery	N/A
Battery Whrs	N/A
Operating Systems	
OS	PROFESSIONAL(WIN 11 PRO ENTRY OLC OA3)
OS Type	W11PB
Operating Systems	Windows 11 Pro
Pallet	
Pallet Q'ty (by air)	NA
Pallet Q'ty (by sea)	32
Carton	
Carton Item (SG14)	N/A
pcs/Carton	N/A
Dimension&Weight	
Product Dimension with Holder (WxDxH) (mm)	N/A
Product Dimension with Holder (WxDxH) (inch)	N/A

Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
Product Dimension with Stand (WxDxH) (inch)	19.66 x 8.24 x 14.68
Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
Inside Carton Dimension with Stand (WxDxH) (mm)	582 x 237 x 499
Inside Carton Dimension with Stand (WxDxH) (inch)	22.91 x 9.33 x 19.65
Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
Outer Carton Dimension with Stand (WxDxH) (inch)	N/A
Weight (Net kg)	5.9
Weight (Net lbs)	13.01
Weight (Gross kg)	9.02
Weight (Gross lbs)	19.89
STAND	
Adjustment (Tilt)	-5°~15°
Adjustment (Swivel)	NA
Adjustment (Height)	NA
Adjustment (Pivot)	NA
Warranty	
Warranty	36months
SW Feature - 3rd Party Royalty	
Nahimic 2	N/A
HDMI Royalty	Y
Mechanical and Environmental	
Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accessories	
AC Adaptor	1
Power Cord	1
Warranty Card	N/A
Quick Guide	2
User Manual	N/A
VESA Mount kit	N/A
Keyboard	RF1430
Keyboard Interface	WIRELESS
Mouse	MA04
Mouse Interface	WIRELESS
Model Info	
Series Name	Pro
Segment Name	PRO
Segment Name2	AP222T
Segment Name3	AP222T 13M

Barcode Info	
EAN	4711377173230
JAN	
UPC	
UCC14	

Created By : ITS_MTL

Created Date : 30/11/2023 7:05:34

Updated By :

Updated Date : 30/11/2023 7:05:34

Copy From Spec. :