

ThinkCentre M73z AIO **10BC0017++**

Region
WE

Machine Type
10BC

TopSeller
TopSeller

Processor
i3-4150

Memory
4GBx1 1600MHz

Display
20" HD+

Camera
720p

Storage
500GB 5400 rpm Hybrid

Graphics
Intel HD Graphics 4400

WLAN
Intel 7260 b/g/n

Media Reader
Media

Chassis intrusion switch
Switch

Serial &PS/2 Port
None

Stand Type
Monitor

Keyboard / Mouse
2.4G

Global(G)
No

Preload
Windows 7 Pro64 DG Windows 8.1

Warranty
1-year, onsite

Ann Date (mm/yy)
07/14

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "***" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<http://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2018. All rights reserved.



Lenovo

ThinkCentre M73z Platform Specifications

Product Specifications Reference (PSREF)

Processor	Intel® Celeron®, Intel Pentium®, or 4th Generation Intel Core™ i3 / i5 / i7 Processors						Manageability	None															
	Processor	Cores / Threads	Frequency (Base/Max)	Cache	Memory Types	Integrated Graphics	Security chip	Trusted Platform Module (TPM 1.2-compliant)															
	Celeron G1820	2 / 2	2.7 GHz	2 MB	DDR3-1333	Intel HD	Security features	- Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis) - Power-on password - Administrator password - Hard disk password - Boot sequence control - Boot without keyboard and mouse - USB port disablement - Optional Chassis intrusion switch															
	Celeron G1840	2 / 2	2.8 GHz	2 MB	DDR3-1333	Intel HD																	
	Pentium G3220	2 / 2	3 GHz	3 MB	DDR3-1333	Intel HD	Keyboard	Some: Preferred Pro USB Keyboard (USB connector), Lenovo logo															
	Pentium G3240	2 / 2	3.1 GHz	3 MB	DDR3-1333	Intel HD	Mouse	Some: Ultralim Plus Wireless Keyboard (2.4GHz via USB receiver), black															
	Pentium G3420	2 / 2	3.2 GHz	3 MB	DDR3-1600	Intel HD		Some: Enhanced Optical USB Mouse, black, Lenovo logo															
	Core i3-4130	2 / 4	3.4 GHz	3 MB	DDR3-1600	HD 4400	Mechanical	Some: Ultralim Plus Wireless Mouse (2.4GHz via USB receiver), black															
	Core i3-4150	2 / 4	3.5 GHz	3 MB	DDR3-1600	HD 4400		- Business black color - Carry handle in rear - Support VESA mount (100mm) <table><tr><td>Dimensions (WxDxH)</td><td>Weight (Maximum)</td><td>Adjustments</td></tr><tr><td colspan="3">M73z with frame stand</td></tr><tr><td>19.9" X 3.56" X 15.9" 506mm X 90.5mm X 404.75mm</td><td>16.4 lb (7.46 kg)</td><td>Tilt: 10° to 25° back</td></tr><tr><td colspan="3">M73z with monitor stand</td></tr><tr><td>19.9" X 9.83" X 16.7" 506mm X 249.8mm X 423.9mm</td><td>19.5 lb (8.84 kg)</td><td>Tilt: -5° to 25°; Lift: 110mm; Swivel: +/-45°</td></tr></table>	Dimensions (WxDxH)	Weight (Maximum)	Adjustments	M73z with frame stand			19.9" X 3.56" X 15.9" 506mm X 90.5mm X 404.75mm	16.4 lb (7.46 kg)	Tilt: 10° to 25° back	M73z with monitor stand			19.9" X 9.83" X 16.7" 506mm X 249.8mm X 423.9mm	19.5 lb (8.84 kg)	Tilt: -5° to 25°; Lift: 110mm; Swivel: +/-45°
	Dimensions (WxDxH)	Weight (Maximum)	Adjustments																				
	M73z with frame stand																						
	19.9" X 3.56" X 15.9" 506mm X 90.5mm X 404.75mm	16.4 lb (7.46 kg)	Tilt: 10° to 25° back																				
	M73z with monitor stand																						
	19.9" X 9.83" X 16.7" 506mm X 249.8mm X 423.9mm	19.5 lb (8.84 kg)	Tilt: -5° to 25°; Lift: 110mm; Swivel: +/-45°																				
	Core i3-4330	2 / 4	3.5 GHz	4 MB	DDR3-1600	HD 4600																	
	Core i5-4430S	4 / 4	2.7 GHz / 3.2 GHz	6 MB	DDR3-1600	HD 4600																	
Core i5-4440S	4 / 4	2.8 GHz / 3.3 GHz	6 MB	DDR3-1600	HD 4600																		
Core i5-4460S	4 / 4	2.9 GHz / 3.4 GHz	6 MB	DDR3-1600	HD 4600																		
Core i5-4570S	4 / 4	2.9 GHz / 3.6 GHz	6 MB	DDR3-1600	HD 4600																		
Core i5-4570T	2 / 4	2.9 GHz / 3.6 GHz	4 MB	DDR3-1600	HD 4600																		
Core i5-4590S	4 / 4	3 GHz / 3.7 GHz	6 MB	DDR3-1600	HD 4600																		
Core i5-4670S	4 / 4	3.1 GHz / 3.8 GHz	6 MB	DDR3-1600	HD 4600																		
Core i7-4770S	4 / 8	3.1 GHz / 3.9 GHz	8 MB	DDR3-1600	HD 4600																		
Core i7-4790S	4 / 8	3.2 GHz / 4 GHz	8 MB	DDR3-1600	HD 4600																		
Memory	16GB max, 1600MHz DDR3L , two 204-pin SODIMM sockets (notebook) *System automatically clocks down for processors with1333MHz memory controller						Power supply	150 watts, autosensing, 85% PSU															
Disk	Some: SATA 6.0Gb/s, 3.5" Wide, 7200 rpm Some: 500GB (5400 rpm, 2.5" wide) or 1TB (7200 rpm, 3.5" wide) Solid State Hybrid Drive (SSHD) / with 8GB MLC NAND flash memory, SATA 6.0Gb/s Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Wide						Limited warranty ³	Some: 1-year or 3-years, limited onsite service / service upgrades available Some: 3-years, limited onsite service, OID (Onsite International Delivery) / service upgrades available For Lenovo service upgrade options, please go to S-TC sheet															
Optical Media reader	Some: DVD, SATA 1.5Gb/s, 12.7mm high Some: DVD burner, SATA 1.5Gb/s, 12.7mm high Optional 7-in-1 Single Slot media reader, via internal USB 2.0						Preload	Some: Windows® 7 Professional 64 Some: Windows 7 Professional 64 preinstalled through downgrade rights in Windows 8/8.1 Pro 64 Ready to install applications (only some listed) - Rescue and Recovery™ - Password Manager Preloaded applications (only some listed) - ThinkVantage® Product Recovery - ThinkVantage System Update - ThinkVantage Communication Utility - ThinkVantage Device Experience - ThinkVantage AutoLock - Desktop Power Manager - View Management Utility - Lenovo Cloud Storage by SugarSync - Lenovo Solution Center - Lenovo Message Center Plus - Norton™ Internet Security (30 days of virus definitions) - Adobe® Reader® - Skype™ - Microsoft Office preloaded; purchase a product key to activate - Cyberlink Power2Go (DVD±RW) - Cyberlink PowerProducer (DVD±RW) - Evernote - Intel AppUp - Nitro Pro															
Graphics	Intel HD Graphics or Intel HD Graphics 4400/4600 in processor, uses main memory, external monitor support via VGA, supports dual independent display; <i>Maximum resolution:</i> 1600x900 (panel)@60Hz; 1920x1200 (VGA)@60Hz (Reduced Blanking)						Some: Windows 8 Pro 64-bit Some: Windows 8.1 Pro 64-bit Web install applications (only some listed) - Password Manager - Preloaded applications (only some listed) - ThinkVantage System Update - ThinkVantage AutoLock - Desktop Power Manager - View Management Utility (for Windows 8 only) - Lenovo Cloud Storage by SugarSync (for Windows 8 only) - Lenovo Solution Center - Lenovo Support - Lenovo Companion - Norton Internet Security (30 days of virus definitions) - Skype™ - Microsoft Office preloaded; purchase a product key to activate - Cyberlink PowerDVD (DVD±RW, DVD) - Cyberlink Power2Go (DVD±RW) - Cyberlink PowerProducer (DVD±RW) - Evernote® - Nitro Pro - AccuWeather - Norton™ Studio - Pokki (for Windows 8.1 only) - Hightail (for Windows 8.1 only)																
Display	20.0" (508mm) HD+ (1600x900) TFT color , LED backlight, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, anti-glare																						
Multi-touch	None																						
Camera	Optional camera on top of screen, 1.0-megapixel, fixed focus, supports 720p, with digital microphone, physical switch on/off																						
Controls	Side buttons for brightness up, brightness down, and power on/off																						
Chipset	Intel H81 Chipset																						
Rear ports	Four USB 2.0, ethernet (RJ-45), VGA out connector, optional serial (9-pin), two optional PS/2 ports (keyboard and mouse)																						
Side ports	Two USB 3.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)																						
PCle Mini Card	One PCI Express Mini Card slot (half size, for WLAN)																						
Audio support	High Definition (HD) Audio, Realtek ALC269VC / internal stereo speakers (2W x 2)																						
WLAN ¹³	Some: 11b/g/n, PCIe Half Mini Card, Realtek RTL8723BE, Wi-Fi/BT 4.0, 1x1 Some: 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 105, 1x1 Some: 11b/g/n, PCIe Half Mini Card, Intel Centrino Wireless-N 2230, Wi-Fi + Bluetooth combo adapter, 2x2 Some: 11a/b/g/n, PCIe Half Mini Card, Intel Centrino Advanced-N 6235, Wi-Fi + Bluetooth combo adapter, 2x2 Some: 11b/g/n, PCIe Half Mini Card, Intel Wireless-N 7260, Wi-Fi/BT 4.0, 2x2 Some: 11ac/a/b/g/n, PCIe Half Mini Card, Intel Dual Band Wireless-AC 7260, Wi-Fi + BT combo adapter, 2x2																						
Bluetooth™ Ethernet	Some: Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, Intel I217-V						Environment EPEAT™ Gold; ENERGY STAR® 6.0; GREENGUARD®; RoHS-compliant; Cisco EnergyWise compatible; EuP 2013 Certified																

See footnotes for more detailed information

Lenovo

ThinkCentre M73z AIO

