

### Overview

## HP Business Notebook Battery Solutions

### Models

|                                                     |             |
|-----------------------------------------------------|-------------|
| HP (4200/4400 Series) 6-Cell Li-Ion Primary Battery | PB991A      |
| HP 6-Cell Li-Ion Primary Battery                    | PB994A      |
| HP 8-Cell Li-Ion Primary Battery                    | PB992A      |
| HP 2400/2510p Series 3-cell Li-Ion Primary Battery  | RW556AA     |
| HP 2400/2510p Series 6-cell Li-Ion Primary Battery  | EH767AA     |
| HP 2400/2510p Series 9-Cell Li-Ion Primary Battery  | EH768AA     |
| HP 2700 Series 6-cell Li-Ion Primary Battery        | AH547AA     |
| HP 2700 Series 6-Cell Li-Ion Ultra-slim Battery     | RX932AA     |
| HP 6720s/6820s series 6-Cell Li-Ion Primary Battery | GJ655AA     |
| HP 8-Cell Li-Ion Primary Battery                    | RW557AA     |
| HP 8-cell Extended Life Battery                     | PB993A      |
| HP 12-cell Ultra-Capacity Battery                   | EJ092AA#B13 |

### Introduction

#### HP Primary Batteries

Stay connected and be productive wherever your work takes you with up to 6 hours of battery life in HP Compaq Business Notebooks and Tablet PCs. No need to sacrifice performance, productivity or convenience.

#### HP 2700 Series 6-Cell Li-Ion Ultra-slim Battery

Stay mobile and productive for up to 11 hours and 45 minutes with the optional HP 2700 Ultra-Slim Battery in addition to the primary battery. The unique battery design allows you to dock to your HP 2700 Ultra-Slim Expansion Base for convenience or charging while you work.

#### HP 12-Cell Ultra-Capacity Battery

Increase the battery life of your HP Business Notebook by an additional 10 hours with the HP 12-cell Ultra-Capacity Battery.

While out of the office or on the road, increase your productivity by powering your notebook for longer periods with the HP 12-Cell Ultra-Capacity Battery. The HP 12-Cell Ultra-Capacity Battery features a unique integrated power connector and ships with a HP 65W Smart AC adapter enabling you to charge your battery when it is not connected to your notebook giving you extended battery life whenever and wherever you need it.

#### HP 8-Cell Extended Life Battery

Battery life can be extended by up to six hours with the addition of the uniquely designed HP 8-Cell Extended Life Battery to your HP Business Notebook.

The HP 8-Cell Extended Life battery allows you to stay productive longer without adding significant weight and also offers the convenience of charging while the notebook or tablet is docked. The HP 8-Cell Extended Life Battery is the perfect solution for the "corridor warrior" that requires extra battery life for those long meetings but still values the benefits of docking.

With HP Business Notebook battery solutions you can plan for all-day computing and work as if you've never left the office.

**NOTE:** Battery life will vary depending on the product configuration, product model, applications loaded on the product, power management settings of the product, and the product features used by the customer. As with all batteries, the maximum capacity of



### Overview

this battery will decrease with time and usage.

### Compatibility

- HP (4200/4400 Series) 6-Cell Li-Ion Primary Battery is compatible with the HP Compaq 4200 and 4400 series Notebooks and the 4200 and 4400 series Tablet PCs.
- HP 6-Cell Li-Ion Primary Battery is compatible with the HP Compaq 6100, 6200, 6300 and 6400 series Notebooks.
- HP 8-Cell Li-Ion Primary Battery is compatible with the HP Compaq 7400, 8200, 8400 and 9400 series Notebooks.
- The HP 8-cell Extended Life Battery is compatible with all HP Compaq Business Notebook PCs (except 500 and 510 series) and 4200 and 4400 series Notebook/Tablet PCs.
- The HP 12-Cell Ultra-Capacity Battery is compatible with all HP Compaq Business Notebook PCs (except 500 and 510 series) and 4200 and 4400 series Notebook/Tablet PCs.
- The HP 2400/2510p Series 3-cell Primary Battery is compatible with HP 2400 and 2510p Series Business Notebooks.
- The HP 2400/2510p Series 6-cell and 9-cell primary batteries are compatible with HP 2400 and 2510p Series Business Notebooks.
- HP 2700 Series 6-cell Li-Ion Primary and Ultra-Slim batteries are compatible with 2700 series Business Notebooks
- HP 6720s/6820s series) 6-Cell Li-Ion Primary Battery is compatible with HP Compaq 6720s and 6820s series Business Notebooks.
- The HP 8-Cell Li-Ion Primary Battery is compatible with HP 510 series notebooks.

### Service and Support

The warranty period for HP Business Notebook batteries is one year, part replacement. Additional support is available (North America only) seven days a week, 24 hours a day by phone as well as through online support forums.

### Spares Information

|                                                      |             |
|------------------------------------------------------|-------------|
| HP (4200/4400 Series) 6-Cell Li-Ion Primary Battery  | 381373-001  |
| HP 6-Cell Li-Ion Primary Battery                     | 364602-001  |
| HP 8-Cell Li-Ion Primary Battery                     | 381374-001  |
| HP 2400/2510p Series 3-Cell Li-Ion Primary Battery   | 441675-001  |
| HP 2400/2510p Series 6-Cell Li-Ion Primary Battery   | 411126-001  |
| HP 2400/2510p Series 9-Cell Li-Ion Primary Battery   | 411127-001  |
| HP 2700 Series 6-cell Li-Ion Primary Battery         | 443156-001  |
| HP 2700 Series 6-Cell Li-Ion Ultra-slim Battery      | 443157-001  |
| HP 8-cell Extended Life Battery                      | 367456-001  |
| HP 6720s/6820s series) 6-Cell Li-Ion Primary Battery | xxxxxxx-001 |
| HP 8-Cell Li-Ion (510 series) Primary Battery        | 441674-001  |
| HP 12-cell Ultra-Capacity Battery                    | 405389-001  |

# QuickSpecs

## HP Business Notebook Battery Solutions

### Technical Specifications

|                                                                   |                              |                                                |                               |
|-------------------------------------------------------------------|------------------------------|------------------------------------------------|-------------------------------|
| <b>HP 6-Cell Li-Ion<br/>Primary Battery</b><br>(4200/4400 Series) | <b>Weight</b>                | 0.705 lb (0.320 kg)                            |                               |
|                                                                   | <b>Dimensions</b>            | 0.8 x 2.75 x 4.75 in (2 x 7 x 12 cm)           |                               |
|                                                                   | <b>Cell Type</b>             | 6-cell Lithium-Ion                             |                               |
|                                                                   | <b>Energy</b>                | <b>Voltage</b>                                 | 10.8V                         |
|                                                                   |                              | <b>Amp-hour capacity</b>                       | 4.8Ah                         |
|                                                                   |                              | <b>Watt-hour capacity</b>                      | 52Wh                          |
|                                                                   | <b>Temperature</b>           | <b>Operating</b> (Charging)                    | 32° to 113° F (0° to 45° C)   |
|                                                                   |                              | <b>Operating</b> (discharging) <b>capacity</b> | 14° to 140° F (-10° to 60° C) |
|                                                                   |                              | <b>Non-operating</b>                           | -4° to 140° F (-20° to 60° C) |
|                                                                   | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>           | 2.5 hours                     |
|                                                                   |                              | <b>System ON</b>                               | 3 to 5 hours                  |
| <b>Fuel Gauge LED</b>                                             | Yes                          |                                                |                               |

|                                                                  |                                  |                                          |                               |
|------------------------------------------------------------------|----------------------------------|------------------------------------------|-------------------------------|
| HP 6-Cell Li-Ion Primary Battery<br>(6100/6200/6300/6400 Series) | Weight                           | 0.737 lb (0.335 kg)/0.715 lb (0.325 kg)  |                               |
|                                                                  | Dimensions                       | 0.8 x 2.1 x 8.0 in (2.0 x 5.3 x 20.3 cm) |                               |
|                                                                  | Cell Type                        | 6-cell Lithium-Ion                       |                               |
|                                                                  | Energy                           | Voltage                                  | 10.8V/10.8V                   |
|                                                                  |                                  | Amp-hour capacity                        | 4.8Ah/4.4Ah                   |
|                                                                  |                                  | Watt-hour capacity                       | 52Wh/47Wh                     |
|                                                                  |                                  | Temperature                              | Operating (Charging)          |
|                                                                  | Operating (Discharging) capacity |                                          | 14° to 140° F (-10° to 60° C) |
|                                                                  | Non-operating                    |                                          | -4° to 140° F (-20° to 60° C) |
|                                                                  | Battery Recharge Time            | System in OFF or Standby Mode            | 2.5 hours                     |
|                                                                  |                                  | System ON                                | 3 to 5 hours                  |
| Fuel Gauge LED                                                   | No                               |                                          |                               |

|                                                                         |                                         |                                           |                               |
|-------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------|-------------------------------|
| <b>HP 8-Cell Li-Ion Primary Battery</b><br>(7400/8200/8400/9400 series) | <b>Weight</b>                           | 0.980 lb (0.445 kg)                       |                               |
|                                                                         | <b>Dimensions</b>                       | 0.8 x 1.9 x 10.6 in (2.0 x 4.8 x 27.0 cm) |                               |
|                                                                         | <b>Cell Type</b>                        | 6-cell Lithium-Ion                        |                               |
|                                                                         | <b>Energy</b>                           | <b>Voltage</b>                            | 14.4V                         |
|                                                                         |                                         | <b>Amp-hour capacity</b>                  | 4.8Ah                         |
|                                                                         |                                         | <b>Watt-hour capacity</b>                 | 69Wh                          |
|                                                                         |                                         | <b>Temperature</b>                        | <b>Operating (Charging)</b>   |
|                                                                         | <b>Operating (Discharging) capacity</b> |                                           | 14° to 140° F (-10° to 60° C) |
|                                                                         | <b>Non-operating</b>                    |                                           | -4°to 140° F (-20° to 60° C)  |
|                                                                         | <b>Battery Recharge Time</b>            | <b>System in OFF or Standby Mode</b>      | 2.5 hours                     |
|                                                                         |                                         | <b>System ON</b>                          | 3 to 5 hours                  |
| <b>Fuel Gauge LED</b>                                                   | No                                      |                                           |                               |

|                                        |                   |                                           |       |
|----------------------------------------|-------------------|-------------------------------------------|-------|
| <b>HP 8-cell Extended Life Battery</b> | <b>Weight</b>     | 1.00 lb (0.455 kg)                        |       |
|                                        | <b>Dimensions</b> | 1.0 x 3.9 x 8.7 in (2.5 x 10.0 x 22.0 cm) |       |
|                                        | <b>Cell Type</b>  | 8-cell Lithium-Ion                        |       |
|                                        | <b>Energy</b>     | <b>Voltage</b>                            | 14.4V |
|                                        |                   | <b>Amp-hour capacity</b>                  | 3.6Ah |



# QuickSpecs

## HP Business Notebook Battery Solutions

### Technical Specifications

|                              |                                                |                               |
|------------------------------|------------------------------------------------|-------------------------------|
|                              | <b>Watt-hour capacity</b>                      | 52Wh                          |
| <b>Temperature</b>           | <b>Operating</b> (charging)                    | 32° to 113° F (0° to 45° C)   |
|                              | <b>Operating</b> (Discharging) <b>capacity</b> | 14° to 140° F (-10° to 60° C) |
|                              | <b>Non-operating</b>                           | -4° to 140° F (-20° to 60° C) |
| <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>           | 3 hours                       |
|                              | <b>System ON</b>                               | 3 to 5 hours                  |
| <b>Fuel Gauge LED</b>        | Yes                                            |                               |

|                                                           |                              |                                                |                               |
|-----------------------------------------------------------|------------------------------|------------------------------------------------|-------------------------------|
| <b>HP 2400/2510p Series 3-Cell Li-Ion Primary Battery</b> | <b>Weight</b>                | 0.39 lb (0.176 kg)                             |                               |
|                                                           | <b>Dimensions</b>            | 0.8 x 1.5 x 8.1 in (2.1 x 3.9 x 20.6 cm)       |                               |
|                                                           | <b>Cell Type</b>             | 3-cell Lithium-Ion                             |                               |
|                                                           | <b>Energy</b>                | <b>Voltage</b>                                 | 10.8V                         |
|                                                           |                              | <b>Watt-hour capacity</b>                      | 28Wh                          |
|                                                           |                              | <b>Amp-hour capacity</b>                       | 2.55Ah                        |
|                                                           | <b>Temperature</b>           | <b>Operating</b> (charging)                    | 32° to 113° F (0° to 45° C)   |
|                                                           |                              | <b>Operating</b> (Discharging) <b>capacity</b> | 14° to 140° F (-10° to 60° C) |
|                                                           |                              | <b>Non-operating</b>                           | -4° to 140° F (-20° to 60° C) |
|                                                           | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>           | 2.5 hours                     |
|                                                           |                              | <b>System ON</b>                               | 3 to 5 hours                  |
|                                                           | <b>Fuel Gauge LED</b>        | No                                             |                               |

|                                                           |                              |                                                                          |                               |
|-----------------------------------------------------------|------------------------------|--------------------------------------------------------------------------|-------------------------------|
| <b>HP 2400/2510p Series 6-Cell Li-Ion Primary Battery</b> | <b>Weight</b>                | 0.73 lb (0.332 kg)                                                       |                               |
|                                                           | <b>Dimensions</b>            | 0.8 x 2.3 x 8.1 in (2.1 x 5.9 x 20.6 cm)                                 |                               |
|                                                           | <b>Cell Type</b>             | 6-cell Lithium-Ion                                                       |                               |
|                                                           | <b>Energy</b>                | <b>Voltage</b>                                                           | 10.8V                         |
|                                                           |                              | <b>Watt-hour capacity</b>                                                | 55Wh                          |
|                                                           |                              | <b>Amp-hour capacity</b>                                                 | 5.1Ah                         |
|                                                           | <b>Temperature</b>           | <b>Operating</b> (charging)                                              | 32° to 113° F (0° to 45° C)   |
|                                                           |                              | <b>Operating</b> (Discharging) <b>capacity</b>                           | 14° to 140° F (-10° to 60° C) |
|                                                           |                              | <b>Non-operating</b>                                                     | -4° to 140° F (-20° to 60° C) |
|                                                           | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>                                     | 2.5 hours                     |
|                                                           |                              | <b>System ON</b>                                                         | 3 to 5 hours                  |
|                                                           | <b>Fuel Gauge LED</b>        | When pressed, LEDs light indicating level of charge remaining on battery |                               |

|                                                           |                              |                                                |                               |
|-----------------------------------------------------------|------------------------------|------------------------------------------------|-------------------------------|
| <b>HP 2400/2510p Series 9-Cell Li-Ion Primary Battery</b> | <b>Weight</b>                | 1.07 lb (0.488 kg)                             |                               |
|                                                           | <b>Dimensions</b>            | 1.6 x 2.3 x 8.1 in (4.1 x 5.9 x 20.6 cm)       |                               |
|                                                           | <b>Cell Type</b>             | 9-cell Lithium-Ion                             |                               |
|                                                           | <b>Energy</b>                | <b>Voltage</b>                                 | 10.8V                         |
|                                                           |                              | <b>Watt-hour capacity</b>                      | 83Wh                          |
|                                                           |                              | <b>Amp-hour capacity</b>                       | 7.65Ah                        |
|                                                           | <b>Temperature</b>           | <b>Operating</b> (charging)                    | 32° to 113° F (0° to 45° C)   |
|                                                           |                              | <b>Operating</b> (Discharging) <b>capacity</b> | 14° to 140° F (-10° to 60° C) |
|                                                           |                              | <b>Non-operating</b>                           | -4° to 140° F (-20° to 60° C) |
|                                                           | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>           | 3 to 4 hours                  |
|                                                           |                              |                                                |                               |
|                                                           |                              |                                                |                               |



### Technical Specifications

|  |                       |                                                                                              |              |
|--|-----------------------|----------------------------------------------------------------------------------------------|--------------|
|  | <b>Fuel Gauge LED</b> | <b>System ON</b><br>When pressed, LEDs light indicating level of charge remaining on battery | 4 to 5 hours |
|--|-----------------------|----------------------------------------------------------------------------------------------|--------------|

|                                                     |                              |                                         |                               |
|-----------------------------------------------------|------------------------------|-----------------------------------------|-------------------------------|
| <b>HP 2700 Series 6-cell Li-Ion Primary Battery</b> | <b>Weight</b>                | 0.64lb (0.291kg)                        |                               |
|                                                     | <b>Dimensions</b>            | 0.6x2.7x8.3in (1.4x6.8x21.1cm)          |                               |
|                                                     | <b>Cell Type</b>             | 6-cell Lithium-Ion                      |                               |
|                                                     | <b>Energy</b>                | <b>Voltage</b>                          | 11.1V                         |
|                                                     |                              | <b>Watt-hour capacity</b>               | 4.0Ah                         |
|                                                     |                              | <b>Amp-hour capacity</b>                | 44Wh                          |
|                                                     | <b>Temperature</b>           | <b>Operating (charging)</b>             | 32° to 113° F (0° to 45° C)   |
|                                                     |                              | <b>Operating (Discharging) capacity</b> | 14° to 140° F (-10° to 60° C) |
|                                                     |                              | <b>Non-operating</b>                    | -4° to 140° F (-20° to 60° C) |
|                                                     | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>    | 2.5 hours                     |
|                                                     |                              | <b>System ON</b>                        | 3 to 5 hours                  |
|                                                     | <b>Fuel Gauge LED</b>        | Yes                                     |                               |

|                                                        |                              |                                         |                               |
|--------------------------------------------------------|------------------------------|-----------------------------------------|-------------------------------|
| <b>HP 2700 Series 6-cell Li-Ion Ultra-slim Battery</b> | <b>Weight</b>                | 1.24lb (0.561kg)                        |                               |
|                                                        | <b>Dimensions</b>            | 0.7x7.5x10.6in (1.8x19.1x26.9cm)        |                               |
|                                                        | <b>Cell Type</b>             | 6-cell Lithium-Ion                      |                               |
|                                                        | <b>Energy</b>                | <b>Voltage</b>                          | 11.1V                         |
|                                                        |                              | <b>Watt-hour capacity</b>               | 4.2Ah                         |
|                                                        |                              | <b>Amp-hour capacity</b>                | 46Wh                          |
|                                                        | <b>Temperature</b>           | <b>Operating (charging)</b>             | 32° to 113° F (0° to 45° C)   |
|                                                        |                              | <b>Operating (Discharging) capacity</b> | 14° to 140° F (-10° to 60° C) |
|                                                        |                              | <b>Non-operating</b>                    | -4° to 140° F (-20° to 60° C) |
|                                                        | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>    | 2.5 hours                     |
|                                                        |                              | <b>System ON</b>                        | 3 to 5 hours                  |
|                                                        | <b>Fuel Gauge LED</b>        | Yes                                     |                               |

|                                                            |                              |                                           |                               |
|------------------------------------------------------------|------------------------------|-------------------------------------------|-------------------------------|
| <b>HP 6720s/6820s series 6-Cell Li-Ion Primary Battery</b> | <b>Weight</b>                | 0.75lb (0.340kg)                          |                               |
|                                                            | <b>Dimensions</b>            | 0.8 x 2.4 x 10.6 in (2.0 x 6.1 x 26.9 cm) |                               |
|                                                            | <b>Cell Type</b>             | 6-cell Lithium-Ion                        |                               |
|                                                            | <b>Energy</b>                | <b>Voltage</b>                            | 10.8V                         |
|                                                            |                              | <b>Watt-hour capacity</b>                 | 5.1Ah                         |
|                                                            |                              | <b>Amp-hour capacity</b>                  | 55Wh                          |
|                                                            | <b>Temperature</b>           | <b>Operating (charging)</b>               | 32° to 113° F (0° to 45° C)   |
|                                                            |                              | <b>Operating (Discharging) capacity</b>   | 14° to 140° F (-10° to 60° C) |
|                                                            |                              | <b>Non-operating</b>                      | -4° to 140° F (-20° to 60° C) |
|                                                            | <b>Battery Recharge Time</b> | <b>System in OFF or Standby Mode</b>      | 2.5 hours                     |
|                                                            |                              | <b>System ON</b>                          | 3 to 5 hours                  |
|                                                            | <b>Fuel Gauge LED</b>        |                                           |                               |

|                                              |                   |                                 |  |
|----------------------------------------------|-------------------|---------------------------------|--|
| <b>HP 8-Cell Li-Ion (510 series) Battery</b> | <b>Weight</b>     | 0.91lb (0.412kg)                |  |
|                                              | <b>Dimensions</b> | 1.0x2.3x10.6in (2.4x5.9x27.0cm) |  |



# QuickSpecs

## HP Business Notebook Battery Solutions

### Technical Specifications

|                              |                                         |                               |
|------------------------------|-----------------------------------------|-------------------------------|
| <b>Cell Type</b>             | 8-cell Lithium-Ion                      |                               |
| <b>Energy</b>                | <b>Voltage</b>                          | 14.8V                         |
|                              | <b>Amp-hour capacity</b>                | 14.4Ah                        |
|                              | <b>Watt-hour capacity</b>               | 63Wh                          |
| <b>Temperature</b>           | <b>Operating (Charging)</b>             | 32° to 113° F (0° to 45° C)   |
|                              | <b>Operating (Discharging) capacity</b> | -4° to 140° F (-10° to 60° C) |
|                              | <b>Non-operating</b>                    | -4° to 140° F (-20° to 60° C) |
| <b>Battery Recharge Time</b> | <b>System ON</b>                        | 4 to 6 hours                  |
| <b>Fuel Gauge LED</b>        |                                         |                               |

|                                          |                                         |                                               |
|------------------------------------------|-----------------------------------------|-----------------------------------------------|
| <b>HP 12-cell Ultra-Capacity Battery</b> | <b>Weight</b>                           | 1.77 lb (0.803 kg)                            |
|                                          | <b>Dimensions</b>                       | 1.3 x 6.0 x 10.6 in (3.33 x 15.25 x 26.88 cm) |
|                                          | <b>Cell Type</b>                        | 12-cell Lithium-Ion                           |
| <b>Energy</b>                            | <b>Voltage</b>                          | 14.8V                                         |
|                                          | <b>Amp-hour capacity</b>                | 6.45Ah                                        |
|                                          | <b>Watt-hour capacity</b>               | 95Wh                                          |
| <b>Temperature</b>                       | <b>Operating (Charging)</b>             | 32° to 113° F (0° to 45° C)                   |
|                                          | <b>Operating (Discharging) capacity</b> | -4° to 140° F (-10° to 60° C)                 |
|                                          | <b>Non-operating</b>                    | -4° to 140° F (-20° to 60° C)                 |
| <b>Battery Recharge Time</b>             | <b>Smart Adapter</b>                    | 3 to 4 hours                                  |
|                                          | <b>System ON</b>                        | 4 to 5 hours                                  |
| <b>Fuel Gauge LED</b>                    | Yes                                     |                                               |

### Business Notebook Battery Life

| HP Compaq Business Notebook                                                                                                                                                                                                                                                                                                                               | Primary Batteries    | HP Extended Life Battery | HP 12-Cell Ultra-Capacity Battery |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------|-----------------------------------|
|                                                                                                                                                                                                                                                                                                                                                           | Primary Batteries    | HP Extended Life Battery | HP 12-Cell Ultra Capacity Battery |
| <b>2510p*</b>                                                                                                                                                                                                                                                                                                                                             | 4 hours*             | 8 hours*                 | 12 hours*                         |
| <b>2710p*</b>                                                                                                                                                                                                                                                                                                                                             | 5 hours, 30 minutes* | 11 hours, 45 minutes*    |                                   |
| <b>6510b</b>                                                                                                                                                                                                                                                                                                                                              | 5 hours, 15 minutes  | 10 hours, 45 minutes     | 14 hours, 30 minutes              |
| <b>6710b</b>                                                                                                                                                                                                                                                                                                                                              | 5 hours, 15 minutes  | 10 hours, 45 minutes     | 14 hours, 30 minutes              |
| <b>6715b</b>                                                                                                                                                                                                                                                                                                                                              | 4 hours, 30 minutes  | 8 hours 30 minutes       | 12 hours                          |
| <b>6910p</b>                                                                                                                                                                                                                                                                                                                                              | 5 hours, 45 minutes  | 11 hours, 15 minutes     | 15 hours, 15 minutes              |
| <b>8510p</b>                                                                                                                                                                                                                                                                                                                                              | 5 hours              | 9 hours                  | 11 hours, 45 minutes              |
| <b>8710p</b>                                                                                                                                                                                                                                                                                                                                              | 4 hours, 30 minutes  | 8 hours                  | 10 hours                          |
| <b>8510w</b>                                                                                                                                                                                                                                                                                                                                              | 5 hours              | 9 hours                  | 11 hours, 45 minutes              |
| <b>8710w</b>                                                                                                                                                                                                                                                                                                                                              | 4 hours              | 7 hours                  | 9 hours                           |
| <b>NOTE:</b> Battery life will vary depending on the product configuration, product model, applications loaded on the product, power management settings of the product, and the product features used by the customer. As with all batteries, the maximum capacity of this battery will decrease with time and usage.<br>* uses product specific battery |                      |                          |                                   |

© Copyright 2007 Hewlett-Packard Development Company, L.P.  
The information contained herein is subject to change without notice.



### *Technical Specifications*

Microsoft and Windows are US registered trademarks of Microsoft Corporation.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.