



## THE CONSTRUCT headband headphones

- O'Neill
- On-ear
- Black & Red

SHO7205BK/28

# The Construct

State of the art sound, unrivaled durability

Extremely tough headset with dynamic sound. This is a headphone for those who work and play hard. Explosive sound with deep bass and one of the toughest headphones around. Super flexible TR90 headband and the strongest cables.

### Benefits

#### Explosive sound

- Dynamic 40mm drivers deliver crisp sound and deep bass
- Microphone, volume and track control for mobile phone

#### Extremely tough

- Engineered with safe release cans to withstand hard impacts
- Ultra flexible TR90 headband
- Tough tangle-free cable with reinforced connectors

- Metal ring around earcan to protect driver

#### Supreme comfort

- Adjustable fit
- Soft fabric headband cover for extra comfort
- Super soft, isolating ear cushions

### Features


#### Adjustable fit

Adjustable headband and rotating cushions to get the perfect fit each time


#### Soft fabric headband

# PHILIPS


#### Safe release cans




#### Crisp sound and deep bass




#### TR90 headband



#### Remote and mic



#### Tough tangle-free cable



Remote and mic for Blackberry, HTC, iPhone, LG, Motorola, Palm, Samsung

## Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

### Sound

|                     |                |
|---------------------|----------------|
| Acoustic system     | Closed         |
| Magnet type         | Neodymium      |
| Voice coil          | CCAW           |
| Diaphragm           | Mylar dome     |
| Frequency response  | 17 - 23 000 Hz |
| Impedance           | 32 ohm         |
| Maximum power input | 50 mW          |
| Sensitivity         | 107 dB         |
| Speaker diameter    | 40 mm          |
| Type                | Dynamic        |

### Connectivity

|                        |                    |
|------------------------|--------------------|
| Cable Connection       | single-sided cable |
| Cable length           | 1.2 m              |
| Connector              | 3.5 mm             |
| Finishing of connector | gold-plated        |
| Type of cable          | OFC                |

### Product dimensions

|        |          |
|--------|----------|
| Depth  | 3.0 inch |
| Depth  | 7.5 cm   |
| Height | 20 cm    |
| Height | 7.9 inch |
| Weight | 0.234 kg |
| Weight | 0.516 lb |
| Width  | 5.9 inch |
| Width  | 15 cm    |

### Packaging dimensions

|                             |                         |
|-----------------------------|-------------------------|
| Height                      | 9.2519735 inch          |
| Width                       | 7.677169500000001 inch  |
| Depth                       | 3.5433090000000003 inch |
| Nett weight                 | 0.51588108 lb           |
| Gross weight                | 1.3668643999999999 lb   |
| EAN                         | 00609585222298          |
| Number of products included | 1                       |
| Country of origin           | CN                      |
| Harmonised Systems Code     | 851830                  |

### Outer Carton

|                               |                 |
|-------------------------------|-----------------|
| Length                        | 11.6141795 inch |
| Width                         | 9.5275642 inch  |
| Height                        | 8.4252014 inch  |
| Gross weight                  | 4.629702 lb     |
| EAN                           | 10609585222295  |
| Number of consumer packagings | 3               |



data subject to change  
2017, July 29

Version: 2.5.3  
UPC: 00609585222298

© 2017 Koninklijke Philips N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

[www.philips.com](http://www.philips.com)