

4 Port VGA Video Extender over Cat 5 (UTPE Series)

StarTech ID: ST124UTPE




The ST124UTPE 4 Port VGA Video Extender over Cat 5 (UTPE Series) allows up to 5 (1 local and 4 remote) monitors to be connected to a single VGA source.

The video signal is carried to the remote monitors over standard 4 pair Category 5 and Category 6 UTP cable using RJ45 connectors and supports distances of up to 300m / 950ft.

At each remote monitor an STUTPRXL receiver (see accessories) is required. The receiver unit converts the signal from the UTP cable back into VGA video for the monitor.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Digital Signage



Applications

- Ideal for digital signage applications in financial, educational, and business sectors
- Place the display in a convenient viewing area, while the system equipment is placed elsewhere in a clean and secure environment
- Use digital signage to catch the attention of your audience and deliver up to date content the way you want it to be seen and heard

Features

- Simultaneously displays the same image on 4 monitors
- Monitor receivers are sold separately (See STUTPRXL)
- Supports a maximum resolution of 1920x1200
- Cascadable up to three levels

Technical Specifications

Warranty	2 Years
Audio	No
Cabling	Cat 5 UTP or better
Daisy-Chain	Yes
Ports	4
Max Distance	300 m / 950 ft
Supported Resolutions	1920x1200 @ 50m(150ft) 1600x1200 @ 100m(300ft) 1280x1024 @ 180m(550ft) 1024x768 @ 200m(620ft) 800x600 @ 300m(950ft)
Local Unit Connectors	2 - VGA (15 pin; High Density D-Sub) Female
Local Unit Connectors	4 - RJ-45 Female
System and Cable Requirements	One STUTPRXL standalone, or STUTPRXWAL wall-plate receiver unit per display that you are connecting
Input Voltage	120 AC
Output Current	0.6A
Output Voltage	12 DC
Power Source	AC Adapter Included
Color	Black
Enclosure Type	Steel
Product Height	1.2 in [29.5 mm]
Product Length	3.3 in [83.5 mm]
Product Weight	8.7 oz [247 g]
Product Width	5.1 in [130 mm]
Shipping (Package) Weight	2 lb [0.9 kg]
Included in Package	1 - UTP Video Splitter Base Unit
Included in Package	1 - 6ft (1.8m) VGA Cable
Included in Package	1 - Power Adapter
Included in Package	1 - Instruction Manual

Certifications, Reports and Compatibility

