



2-Ports HDMI Splitter


332712

The equip® 2-Port HDMI Splitter distributes one video stream to two displays, bringing synchronized high-definition video to conventions, home theaters, shopping areas, and campuses with ease.


| Specification

Input Video Signal:	0.5-1.0 volts P-P
Input DDC Signal:	5 Volt p-p (TTL)
Max single Link Range:	4K x 2K@ 30HZ
Output Video:	HDMI 1.4a + HDCP1.0/1.1/1.2/1.3
Resolution DTV/HDTV:	576i/576p/720p/1080i/1080P/4K
HDMI Version:	HDMI 1.4a
Frequency Bandwidth:	2.97Gbps
EIDI Duration:	4 seconds
Power supply:	DC 5V
Support deep color:	30bit, 36bit, 48bit per pixel
Digital audio format:	DTS-HD/Dolby-true-HD/LPCM 7.1/ DTS/Dolby –AC3/DSD

| Interface



| Connection Diagram





www.equip-info.net

| Ordering Information

PN	EAN	Package Size	Weight
332712	4015867161944	65x121x101mm	30g

Warranty: 3 years

| Package Contents

- HDMI splitter 1x2 X 1 PCS
- User manual X 1 PCS
- Power adapter 5V1A X 1 PCS

