



PoE Upgradable Outdoor Housing



BOH-1100

H/W Version: 1

Outdoor Housing for Box Cameras

The BOH-1100 is an outdoor housing to be used with the LevelOne IP Box Cameras and other box cameras.

IP68 Rated Housing

The BOH-1100 is a box-type outdoor housing and is constructed from die-casting aluminum. The BOH-1100 is manufactured with and IP68 rated certification to provide protection from severe outdoor conditions to the enclosed camera.

Built-in Heater and Fan

It also features a built-in heater and fan that controls the temperature of the enclosed camera. The fan operates between 25°C and 35°C, while the heater operates between 15°C and 25°C.

Upgrade to PoE power with POM-1100!

The new Power over Ethernet module (POM-1100) lets you power your LevelOne outdoor housing using 100% PoE power. No more hassle with crimping and running wires. Just plug and play and you have enough power to run the fan, heater, camera and LEDs from a single power source*.

Works with LevelOne's BOH-1100/1200/1300.

*For best results, use a LevelOne high-power 40W PoE injector to ensure enough watts run to each IP cameras and accessories.



POM-1100
PoE Module for
BOH-1100/1200/1300



1



2

3

1. Heater
2. Mounting bracket
3. Fan

Key Features

- Designed for Indoor/outdoor applications
- IP68 rated camera outdoor housing
- Lightweight for easy wall mounting
- High impact resistance
- Side opening
- Easy access for service and installation
- Withstands severe environment conditions
- Bundled cable-management bracket
- PoE upgradable with POM-1100 module

Works Well With



FCS-1121
H.264 MegaPixel PoE Network
Camera



FCS-1131
H.264 2-Megapixel PoE Network
Camera


Technical Specifications

Material
Aluminum die-casting
Regulation Rated
IP68
Housing Color
Beige
Power Consumption
DC12V/1.5A
Dimension
Camera housing: 406(L) x 145(W) x 109(H) mm
Inside internal useable area for camera/lens: 220(L) x 100(W) x 65(H) mm
Window Size
76mm x 92mm
Weight w/o Bracket
2350g

Support Cameras
FCS-1101/1091/1121/1131/1141/1151
Weight w/ Bracket
2850g
Max. Load of Bracket
15kg
Temperature
Operating: -20°C ~50°C
Humidity
0%~95% (RH)
Heater Operating
Activates below 15°C (±5°C)
Deactivates over 25°C (±5°C)
Fan Operating
Activates over 35°C (±5°C)
Deactivates below 25°C (±5°C)

*the package donot include any power adapter.

Dimension Diagram



Order Information

Package Content

BOH-1100: Outdoor Housing for Box Cameras

- BOH-1100
- Camera Bracket
- Screw Kit
- Quick Installation Guide

Optional Accessories



BOH-1001
Pole Mount kit



POI-4000
High Power PoE Injector



POM-1100
PoE Module for
BOH-1100/1200/1300



POR-1100
1-Port Outdoor PoE
Repeater



POR-1102
2-Port Outdoor PoE
Repeater



POS-4001
Outdoor High Power
PoE Splitter (12V)



POW-1201
DC12V/1.25A Switching
Power Adapter



PPM-1000
PoE Power Measurer

All mentioned brand names are registered trademarks and property of their owners. Technical specifications are subject to change without notice.

© Copyright Digital Data Communications GmbH. All Rights Reserved.