

# TECHNICAL DATA SHEET - ADAPTER BRACKET


**peerless®**

MODEL: PLP



Dedicated adapter bracket used with various styles of plasma or LCD mounts.

**Features:**

- Includes mounting hardware to attach adapter bracket to plasma
- Finish is scratch resistant black fused epoxy



ADAPTER BRACKET MAY BE DIFFERENT THAN ILLUSTRATED.



Dimensions are located on the following pages.

**ARCHITECTS SPECIFICATIONS:**

The plasma adapter bracket shall be a Peerless model \_\_\_\_\_ and shall be used in combination with Peerless model \_\_\_\_\_. It shall be constructed of heavy gauge cold rolled steel. The finish shall be scratch resistant black fused epoxy. Assembly and installation shall be done according to instructions provided by the manufacturer.

**Peerless Industries, Inc.**  
 3215 W. North Ave. Melrose Park, IL 60160  
 708-865-8870 800-865-2112 Fax 708-865-2941  
[www.peerlessmounts.com](http://www.peerlessmounts.com)

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.  
 All other brand and product names are trademarks or registered trademarks of their respective owners.

# TECHNICAL DATA SHEET

**MODEL: PLP**

|              | Length:          | Depth:         | Height:          | Offset*:         | Weight:           | Shipping weight:   |
|--------------|------------------|----------------|------------------|------------------|-------------------|--------------------|
| PLP 27KMF    | 16.56" / 42 cm   | .61" / 1.5 cm  | 10.02" / 25 cm   | 0" / 0 cm        | 4.2 lb / 1.9 kg   | 7.4 lb / 3.4 kg    |
| PLP 32LPLX   | 17.82" / 45 cm   | 2.53" / 6.4 cm | 7.71" / 19.6 cm  | -1.75" / -4.4 cm | 10.6 lb / 4.8 kg  | 11.3 lb / 5.1 kg   |
| PLP 4201U    | 17.8" / 45 cm    | .61" / 1.5 cm  | 18" / 46 cm      | 0" / 0 cm        | 5.3 lb / 2.4 kg   | 9 lb / 4.5 kg      |
| PLP A2701    | 16.8" / 43 cm    | .605" / 2 cm   | 12.6" / 32 cm    | 0" / 0 cm        | 4.6 lb / 2.1 kg   | 7.6 lb / 3.4 kg    |
| PLP AK26     | 15.82" / 40.2 cm | .61" / 1.5 cm  | 7.5" / 19.1 cm   | 0" / 0 cm        | 3.8 lb / 1.7 kg   | 4.3 lb / 2.0 kg    |
| PLP AK2660   | 22.8" / 58 cm    | .605" / 2 cm   | 12.6" / 32 cm    | 0" / 0 cm        | 5.7 lb / 2.6 kg   | 9.0 lb / 4.1 kg    |
| PLP AK27     | 16.15" / 41 cm   | .605" / 2 cm   | 12.25" / 31.1 cm | 0" / 0 cm        | 4.6 lb / 2.1 kg   | 8.0 lb / 3.6 kg    |
| PLP AK32     | 16.9" / 43 cm    | .605" / 2 cm   | 7.7" / 19.5 cm   | 0" / 0 cm        | 4.0 lb / 1.8 kg   | 4.5 lb / 2.0 kg    |
| PLP AK37     | 17.9" / 45 cm    | .605" / 2 cm   | 8.6" / 22 cm     | 0" / 0 cm        | 4.4 lb / 2.0 kg   | 4.9 lb / 2.2 kg    |
| PLP AK42     | 27.7" / 70.4 cm  | .62" / 1.6 cm  | 15.2" / 38.6 cm  | 0" / 0 cm        | 6.3 lb / 2.9 kg   | 9.7 lb / 4.4 kg    |
| PLP AO32     | 9.83" / 25 cm    | .60" / 1.5 cm  | 10.35" / 26.3 cm | 0" / 0 cm        | 3.2 lb / 1.4 kg   | 3.7 lb / 1.7 kg    |
| PLP AO40     | 29.0" / 73.7 cm  | .50" / 1.27 cm | 13.25" / 33.66   | 0" / 0 cm        | 7.6 lb / 3.5 kg   | 10.8 lb / 4.9 kg   |
| PLP AOC42    | 26.7" / 67.8 cm  | .61" / 1.5 cm  | 10" / 25.4 cm    | 0" / 0 cm        | 7.0 lb / 3.2 kg   | 10.4 / 4.7 kg      |
| PLP AV30     | 11.64" / 29.6 cm | .78" / 2 cm    | 7.21" / 18.3 cm  | 0" / 0 cm        | 3.3 lb / 1.5 kg   | 3.8 lb / 1.7 kg    |
| PLP BARCO40  | 10.2" / 26 cm    | .63" / 2 cm    | 5.9" / 15 cm     | 0" / 0 cm        | 3.9 lb / 1.8 kg   | 4.6 lb / 2.1 kg    |
| PLP BQ26     | 24.66" / 63 cm   | .605" / 2 cm   | 9.5" / 24 cm     | 0" / 0 cm        | 5.9 lb / 2.7 kg   | 9.1 lb / 4.1 kg    |
| PLP BQ30     | 15.5" / 39 cm    | .92" / 2.3 cm  | 8.0" / 20 cm     | 0.3" / 0.8 cm    | 4.1 lb / 1.9 kg   | 6.0 lb / 2.7 kg    |
| PLP BYD30    | 10.2" / 25.9 cm  | 3.39" / 8.6 cm | 13" / 33 cm      | 0" / 0 cm        | 4.5 lb / 2.1 kg   | 7.2 lb / 3.3 kg    |
| PLP BYD40    | 21.13" / 54 cm   | 2" / 5.1 cm    | 18.16" / 46 cm   | 0" / 0 cm        | 8.4 lb / 3.8 kg   | 11.9 lb / 5.4 kg   |
| PLP CR40     | 24.5" / 62 cm    | .61" / 1.5 cm  | 10" / 25 cm      | 0" / 0 cm        | 6.1 lb / 2.8 kg   | 9.3 lb / 4.2 kg    |
| PLP CS42     | 26.5" / 67 cm    | .61" / 1.5 cm  | 16.5" / 42 cm    | 0" / 0 cm        | 7.5 lb / 3.4 kg   | 11 lb / 5 kg       |
| PLP CTL27    | 13.8" / 35 cm    | .605" / 2 cm   | 7.5" / 19 cm     | 0" / 0 cm        | 3.5 lb / 1.6 kg   | 3.9 lb / 1.8 kg    |
| PLP CTL32    | 19.0" / 47.5 cm  | .61" / 1.5 cm  | 7.4" / 19 cm     | 0" / 0 cm        | 4.4 lb / 2.0 kb   | 4.9 lb / 2.2 kg    |
| PLP CV40     | 10" / 25 cm      | .61" / 1.5 cm  | 7.3" / 19 cm     | 0" / 0 cm        | 2.5 lb / 1.2 kg   | 3.0 lb / 1.5 kg    |
| PLP DAK1     | 25.2" / 64 cm    | .61" / 1.5 cm  | 7.5" / 19 cm     | 0" / 0 cm        | 6.1 lb / 2.8 kg   | 10 lb / 4.5 kg     |
| PLP DL37     | 22.8" / 58 cm    | .605" / 2 cm   | 10.6" / 27 cm    | 0" / 0 cm        | 6.1 lb / 2.7 kg   | 9.4 lb / 4.3 kg    |
| PLP DW42     | 23" / 58 cm      | .61" / 1.5 cm  | 14" / 35.6 cm    | 0" / 0 cm        | 6 lb / 2.7 kg     | 9.2 lb / 4.2 kg    |
| PLP-FJ65     | 62.63" / 159 cm  | 3.94" / 10 cm  | 38.19" / 97 cm   | 0" / 0 cm        | 29 lb / 13.15 kg  | 30.4 lb / 13.79 kg |
| PLP FUJ21    | 18.65" / 47 cm   | .5" / 1 cm     | 7.5" / 19 cm     | 0" / 0 cm        | 4 lb / 2 kg       | 5 lb / 2.5 kg      |
| PLP FUJ42    | 36.8" / 94 cm    | 3.1" / 8 cm    | 11.5" / 29 cm    | 0" / 0 cm        | 12.6 lb / 5.7 kg  | 13.6 lb / 6.2 kg   |
| PLP FUJ4211  | 21" / 53 cm      | .61" / 1.5 cm  | 13.3" / 34 cm    | 0" / 0 cm        | 6.12 lb / 2.8 kg  | 7.12 lb / 3.2 kg   |
| PLP FUJ42HD  | 27.5" / 70 cm    | .61" / 1.5 cm  | 16" / 41 cm      | 0" / 0 cm        | 7.64 lb / 3.47 kg | 8.34 lb / 3.8 kg   |
| PLP FUJ42HD2 | 27.5" / 70 cm    | .61" / 1.5 cm  | 16" / 41 cm      | 0" / 0 cm        | 7.6 lb / 3.5 kg   | 10.8 lb / 4.9 kg   |
| PLP FUJ50    | 27.6" / 70 cm    | .61" / 1.5 cm  | 14.3" / 36 cm    | 0" / 0 cm        | 8.62 lb / 3.92 kg | 9.32 lb / 4.2 kg   |
| PLP FUJ61    | 29.6" / 75 cm    | .61" / 1.5 cm  | 14.3" / 36 cm    | 0" / 0 cm        | 8.62 lb / 3.92 kg | 9.32 lb / 4.2 kg   |
| PLP FUJ63    | 27.62" / 70.2 cm | 2.33" / 5.9 cm | 14" / 35.6 cm    | 0" / 0 cm        | 8.2 lb / 3.7 kg   | 11.4 lb / 5.2 kg   |
| PLP GW42     | 26.5" / 67.3 cm  | 2.5" / 6.4 cm  | 16.5" / 41.9 cm  | 0" / 0 cm        | 9.0 lb / 4.1 kg   | 12.5 lb / 5.7 kg   |
| PLP GW42HD   | 26.5" / 67 cm    | .61" / 1.5 cm  | 16.5" / 42 cm    | 0" / 0 cm        | 7.7 lb / 3.5 kg   | 10.9 lb / 4.9 kg   |
| PLP HIT32    | 16.0" / 41 cm    | .61" / 1.5 cm  | 8.3" / 21 cm     | 1.1 / 2.8 cm     | 4.0 lb / 1.8 kg   | 7.2 lb / 3.3 kg    |
| PLP HT32     | 15.7" / 40 cm    | .56" / 1 cm    | 12" / 31 cm      | 0" / 0 cm        | 3.4 lb / 1.55 kg  | 7.6 lb / 3.5 kg    |
| PLP HT42     | 18.1" / 46 cm    | .56" / 1 cm    | 14" / 35.6 cm    | 0" / 0 cm        | 3.94 lb / 1.8 kg  | 4.74 lb / 2.2 kg   |

Continued on page 3.

\*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.  
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

Peerless Industries, Inc.  
3215 W. North Ave. Melrose Park, IL 60160  
708-865-8870 800-865-2112 Fax 708-865-2941  
[www.peerlessmounts.com](http://www.peerlessmounts.com)

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.  
All other brand and product names are trademarks or registered trademarks of their respective owners.

# TECHNICAL DATA SHEET

**MODEL: PLP**

|              | Length:            | Depth:                          | Height:           | Offset*:                                                         | Weight:          | Shipping weight:  |
|--------------|--------------------|---------------------------------|-------------------|------------------------------------------------------------------|------------------|-------------------|
| PLP HT42PD1  | 20.9" / 53 cm      | 4.7" / 12 cm                    | 13" / 33 cm       | 0" / 0 cm                                                        | 5.9 lb / 2.68 kg | 6.43 lb / 2.92 kg |
| PLP HT55     | 17.8" / 45 cm      | .56" / 1 cm                     | 23.3" / 59.2 cm   | 1.28" / 3.3 cm                                                   | 6.2 lb / 2.8 kg  | 9.4 lb / 4.3 kg   |
| PLP HT55HD   | 26.13" / 66.4 cm   | .61" / 1.5 cm                   | 23.25" / 59.1 cm  | 1" / 2.54 cm                                                     | 7.9 lb / 3.6 kg  | 14.3 lb / 6.5     |
| PLP ILY40    | 20.5" / 52 cm      | .61" / 1.5 cm                   | 13.2" / 34 cm     | 0" / 0 cm                                                        | 7.5 lb / 3.4 kg  | 10.7 lb / 4.8 kg  |
| PLP INFO30   | 12.5" / 32 cm      | .63" / 2 cm                     | 5.25" / 13 cm     | 0" / 0 cm                                                        | 3.7 lb / 1.7 kg  | 4.2 lb / 1.9 kg   |
| PLP JVC26    | 10.3" / 26 cm      | .61" / 1.5 cm                   | 7.1" / 18 cm      | 0" / 0 cm                                                        | 2.8 lb / 1.3 kg  | 3.3 lb / 1.5 kg   |
| PLP JVC3740  | 10.0" / 25.4 cm    | .605" / 2 cm                    | 10.5" / 26.67 cm  | 0" / 0 cm                                                        | 3.5 lb / 1.6 kg  | 3.9 lb / 1.8 kg   |
| PLP JVC42    | 22.4" / 57 cm      | .7" / 1.8 cm                    | 16" / 41 cm       | 0" / 0 cm                                                        | 5 lb / 2.3 kg    | 6 lb / 2.7 kg     |
| PLP JVC42W   | 44" / 112 cm       | 4" / 10 cm                      | 25.5" / 65 cm     | 0" / 0 cm                                                        | 6.7 lb / 3 kg    | 8.5 lb / 3.8 kg   |
| PLP KRE27    | 10.6" / 27 cm      | .9" / 2 cm                      | 9.6" / 24 cm      | -2.2" / 5.6 cm                                                   | 3.3 lb / 1.5 kg  | 3.8 lb / 1.7 kg   |
| PLP KRE30    | 14.43" / 37 cm     | .61" / 2 cm                     | 8.52" / 21.6 cm   | 0" / 0 cm                                                        | 3.5 lb / 1.6 kg  | 4 lb / 1.8 kg     |
| PLP LCD42PD1 | 32.75" / 83 cm     | 3.12" - 1.68"<br>(8 cm - 4 cm)  | 16.5" / 42 cm     | 0" / 0 cm                                                        | 8.3 lb / 3.8 kg  | 10.4 lb / 4.7 kg  |
| PLP LG30     | 14" / 35.6 cm      | .6" / 1.5 cm                    | 9.25" / 23 cm     | 0" / 0 cm                                                        | 3.9 lb / 1.8 kg  | 7.1 lb / 3.2 kg   |
| PLP LG3742   | 24.6" / 62.5 cm    | .61" / 1.5 cm                   | 11.6" / 29.5 cm   | -.31" / -.8 cm                                                   | 6.3 lb / 2.9 kg  | 9.5 lb / 4.3 kg   |
| PLP LG42     | 26.1" / 66.3 cm    | 1.605" / 4 cm                   | 11.6" / 29.5 cm   | 0" / 0 cm                                                        | 7.2 lb / 3.3 kg  | 10.8 lb / 4.9 kg  |
| PLP LG42LCD  | 24.6" / 62.5 cm    | .56" / 1 cm                     | 11.6" / 29.5 cm   | 0" / 0 cm                                                        | 6.3 lb / 2.9 kg  | 9.5 lb / 4.3 kg   |
| PLP LG42PX   | 26.4" / 67 cm      | 2.4" / 6 cm                     | 11.8" / 30 cm     | 0" / 0 cm                                                        | 8.0 lb / 3.6 kg  | 11.6 lb / 5.2 kg  |
| PLP LG71     | 36" / 91.4 cm      | 2.325" / 5.9 cm                 | 17" / 43.2 cm     | 0" / 0 cm                                                        | 11.7 lb / 5.3 kg | 18.3 lb / 8.3 kg  |
| PLP LT320    | 17.82" / 45 cm     | 2.53" / 6.4 cm                  | 7.71" / 19.6 cm   | -1.75" / -4.4 cm                                                 | 10.6 lb / 4.8 kg | 11.3 lb / 5.1 kg  |
| PLP MAX32    | 13.13" / 33 cm     | .62" / 1.6                      | 7.5" / 19 cm      | 0" / 0 cm                                                        | 3.2 lb / 1.4 kg  | 3.6 lb / 1.6 kg   |
| PLP MES30L   | 24.62" / 625.35 cm | 15.25" / 387.35 cm              | 2.125" / 53.98 cm | 0" / 0 cm                                                        | 7.6 / 3.4 kg     | 11.1 / 5.1 kg     |
| PLP MES30P   | 24.62" / 625.35 cm | 15.25" / 387.35 cm              | 2.13" / 53.98 cm  | 0" / 0 cm                                                        | 7.6 / 3.4 kg     | 11.1 / 5.1 kg     |
| PLP MES45L   | 30.37" / 777.4 cm  | 15.25" / 387.35 cm              | 2.25" / 57.15 cm  | 0" / 0 cm                                                        | 9.4 / 4.2 kg     | 12.9 / 5.9 kg     |
| PLP MES45P   | 30.37" / 777.4 cm  | 15.25" / 387.35 cm              | 2.25" / 57.15 cm  | 0" / 0 cm                                                        | 11.0 / 5.0 kg    | 14.6 / 6.6 kg     |
| PLP MITSU40  | 23" / 58 cm        | .7" / 1.8 cm                    | 11.4" / 29 cm     | 0" / 0 cm                                                        | 5 lb / 2.3 kg    | 6 lb / 2.7 kg     |
| PLP MVN32    | 18.1" / 46 cm      | 1.1" / 3 cm                     | 11" / 28 cm       | 0" / 0 cm                                                        | 5 lb / 2.3 kg    | 5.7 lb / 2.6 kg   |
| PLP NEC33    | 19.6" / 50 cm      | 2.97" / 8 cm                    | 19.7" / 50 cm     | 0" / 0 cm                                                        | 5.5 lb / 2.5 kg  | 10 lb / 4.5 kg    |
| PLP NEC42    | 21.9" / 56 cm      | 1.1" / 3 cm                     | 16" / 41 cm       | 0" / 0 cm                                                        | 4.6 lb / 2.1 kg  | 5.6 lb / 2.5 kg   |
| PLP NEC61    | 35.1" / 89 cm      | 2.3" / 6 cm                     | 21" / 53 cm       | 0" / 0 cm                                                        | 13.4 lb / 6.1 kg | 16.9 lb / 7.7 kg  |
| PLP NECPD1   | 22.4" / 57 cm      | 2.4" / 6 cm                     | 16" / 41 cm       | 0" / 0 cm                                                        | 5.24 lb / 2.4 kg | 6.24 lb / 2.8 kg  |
| PLP NEC61PD1 | 35.14" / 89.3 cm   | 1.82" - 3.5"<br>(4.6 cm - 9 cm) | 21.25" / 54 cm    | 0" / 0 cm                                                        | 15.6 lb / 7.1 kg | 18.0 lb / 8.2 kg  |
| PLP NOR42    | 18.71" / 47.5 cm   | 2.625" / 6.7 cm                 | 14.5" / 36.8 cm   | 0" / 0 cm                                                        | 7.2 lb / 3.3 kg  | 10.8 lb / 4.9 kg  |
| PLP OR42     | 22.125" / 56 cm    | 6.0" / 15.2 cm                  | 15.0" / 38.1 cm   | 0" / 0 cm                                                        | 12.6 lb / 5.7 kg | 16.4 lb / 7.4 kg  |
| PLP PAN2632  | 14.5" / 36.8 cm    | 1.25" / 3.2 cm                  | 9.54" / 24.2 cm   | 1.03" / 2.6 cm<br>(TC-26LX20)<br>-0.13" / -0.3 cm<br>(TC-32LX20) | 4.2 lb / 1.9 kg  | 4.9 lb / 2.2 kg   |

\*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.  
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

\*\*The Sony model KDE-61XBR950 monitor has an offset of +3.75" (9.5 cm)

Continued on page 4.

Peerless Industries, Inc.  
3215 W. North Ave. Melrose Park, IL 60160  
708-865-8870 800-865-2112 Fax 708-865-2941  
[www.peerlessmounts.com](http://www.peerlessmounts.com)

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.  
All other brand and product names are trademarks or registered trademarks of their respective owners.

# TECHNICAL DATA SHEET

**MODEL: PLP**

|              | Length:           | Depth:                          | Height:           | Offset*:         | Weight:           | Shipping weight:  |
|--------------|-------------------|---------------------------------|-------------------|------------------|-------------------|-------------------|
| PLP PAN32    | 14.3" / 36 cm     | .6" / 1.5 cm                    | 11.5" / 29 cm     | 0" / 0 cm        | 3.8 lb / 1.7 kg   | 7 lb / 3.2 kg     |
| PLP PAN42    | 28" / 71 cm       | .56" / 1 cm                     | 14.31" / 36 cm    | 0" / 0 cm        | 5 lb / 2.3 kg     | 11 lb / 4.9 kg    |
| PLP PAN42PD1 | 29.18" / 74 cm    | 2.01" - 3.375"<br>(5 cm - 9 cm) | 14.31" / 36 cm    | 0" / 0 cm        | 7 lb / 3.5 kg     | 9 lb / 4 kg       |
| PLP PAN42PX  | 28.12" / 71.4 cm  | 1.75" / 4.4 cm                  | 14.31" / 36.3 cm  | 0" / 0 cm        | 9.3 lb / 4.2 kg   | 12.8 lb / 5.8 kg  |
| ††PLP PAN61  | 42" / 106.7 cm    | 2.325" / 5.9 cm                 | 15" / 38.1 cm     | -.44" / 1.1 cm   | 13.7 lb / 6.2 kg  | 18.7 lb / 8.5 kg  |
| PLP PAN65    | 44.5" / 113 cm    | 2.325" / 5.9 cm                 | 16.88" / 42.9 cm  | 0" / 0 cm        | 15.2 lb / 6.9 kg  | 21.3 lb / 9.7 kg  |
| PLP PAN65PD1 | 43.83" / 111.3 cm | 4.25" / 10.8 cm                 | 16.88" / 42.9 cm  | 0" / 0 cm        | 25 lb / 11.3 kg   | 27.2 lb / 12.3 kg |
| PLP PANA32   | 14.5" / 36.8 cm   | 0.605" / 1.5 cm                 | 9.5" / 24 cm      | 0.5" / 1.3 cm    | 3.8 lb / 1.7 kg   | 4.5 lb / 2.0 kg   |
| PLP PH32     | 26.97" / 68.5 cm  | .5" / 1.3 cm                    | 11.16" / 28.3 cm  | 0" / 0 cm        | 6.8 lb / 3.1 kg   | 10.0 lb / 4.5 kg  |
| PLP PH32P    | 27.13" / 68.9 cm  | .605" / 1.54 cm                 | 13.06" / 33.2 cm  | 0" / 0 cm        | 7.1 lb / 3.2 kg   | 10.5 lb / 4.8 kg  |
| PLP PH37     | 27.13" / 68.9 cm  | .61" / 1.55 cm                  | 12.78" / 32.5 cm  | -2.34" / -5.9 cm | 7.4 lb / 3.3 kg   | 10.7 lb / 4.9 kg  |
| PLP PH3742   | 27.13" / 68.9 cm  | 2.42" / 7 cm                    | 12.78" / 32 cm    | -2.34" / -5.9 cm | 8.4 lb / 3.8 kg   | 11.8 lb / 5.4 kg  |
| PLP PH42     | 26.97" / 68.5 cm  | 0.605" / 1.54 cm                | 14.81" / 37.62 cm | -.59" / 1.5 cm   | 7.1 lb / 3.2 kg   | 10.3 lb / 4.7 kg  |
| PLP PH42HD   | 17.9" / 45 cm     | .61" / 1.5 cm                   | 14.8" / 38 cm     | 0" / 0 cm        | 5.0 lb / 2.3 kg   | 8.2 lb / 3.7 kg   |
| PLP PH50     | 27" / 68.6 cm     | .61" / 1.5 cm                   | 16" / 40.6 cm     | -.15" / .4 cm    | 7.4 lb / 3.4 kg   | 10.6 lb / 4.8 kg  |
| PLP PION42   | 22.1" / 56 cm     | .61" / 1.5 cm                   | 16" / 41 cm       | 0" / 0 cm        | 7 lb / 3.2 kg     | 9 lb / 4.1 kg     |
| PLP PION50   | 20.5" / 52 cm     | .61" / 1.5 cm                   | 13.2" / 34 cm     | 0" / 0 cm        | 7.5 lb / 3.4 kg   | 10.7 lb / 4.8 kg  |
| PLP PLNR42   | 26.1" / 66 cm     | .61" / 1.5 cm                   | 11.6" / 30 cm     | 0" / 0 cm        | 7 lb / 3.2 kg     | 8 lb / 3.6 kg     |
| PLP PN32     | 14.5" / 36.8 cm   | 1.3" / 3.3 cm                   | 9.4" / 23.9 cm    | -1.06" / 2.7 cm  | 4.2 lb / 1.9 kg   | 4.6 lb / 2.1 kg   |
| PLP PS32     | 20.3" / 52 cm     | 1.2" / 3 cm                     | 14.4" / 37 cm     | 0" / 0 cm        | 6.34 lb / 2.9 kg  | 7.18 lb / 3.3 kg  |
| PLP PS42     | 15.3" / 39 cm     | .61" / 1.5 cm                   | 18.3" / 47 cm     | 0" / 0 cm        | 4.5 lb / 2 kg     | 5.2 lb / 2.4 kg   |
| PLP RCA27    | 24.66" / 63 cm    | .605" / 2 cm                    | 9.5" / 24 cm      | 0" / 0 cm        | 5.9 lb / 2.7 kg   | 9.1 lb / 4.1 kg   |
| PLP RCA42    | 26.5" / 67 cm     | .61" / 1.5 cm                   | 16.5" / 42 cm     | 0" / 0 cm        | 7.7 lb / 3.5 kg   | 10.9 lb / 5 kg    |
| PLP RCA61    | 32.89" / 83.5 cm  | 2.23" / 5.7 cm                  | 25" / 63.5 cm     | 1" / 2.5cm       | 12.9 lb / 5.9 kg  | 16.7 lb / 7.6 kg  |
| PLP RUN32    | 23.5" / 60 cm     | .5" / 1 cm                      | 11.5" / 29 cm     | 1" / 2.5 cm      | 6.1 lb / 2.8 kg   | 8.6 lb / 3.9 kg   |
| PLP RUN40    | 26.5" / 67 cm     | .605" / 2 cm                    | 12.3" / 31 cm     | 0" / 0 cm        | 6.8 lb / 3.1 kg   | 10.0 lb / 4.5 kg  |
| PLP RUN60    | 35" / 89 cm       | .73" / 1.8 cm                   | 27.7" / 70 cm     | 0" / 0 cm        | 13.8 lb / 6.2 kg  | 19.2 lb / 8.7 kg  |
| PLP RVX42    | 33.7" / 86 cm     | 2.7" / 7 cm                     | 19.8" / 50 cm     | 0" / 0 cm        | 13.2 lb / 6 kg    | 16.3 lb / 7.4 kg  |
| PLP SA32     | 18.4" / 47 cm     | .5" / 1 cm                      | 8.8" / 22 cm      | 0" / 0 cm        | 3.22 lb / 1.5 kg  | 4.07 lb / 1.8 kg  |
| PLP SAM32    | 31.5" / 80 cm     | 2.8" / 7 cm                     | 14.5" / 30.8 cm   | 0" / 0 cm        | 10.1 lb / 4.6 kg  | 13.3 lb / 6 kg    |
| PLP SAN42    | 20.03" / 50.9 cm  | 13.63" / 346 cm                 | 0.61" / 15 cm     | 0" / 0 cm        | 5.8 lb / 2.6 kg   | 9.0 lb / 4.1 kg   |
| PLP SH57     | 23.95" / 61 cm    | .73" / 1.9 cm                   | 19" / 48 cm       | 0" / 0 cm        | 9.9 lb / 4.5 kg   | 13.3 lb / 6 kg    |
| PLP SH65     | 27.53" / 69.9 cm  | .73" / 1.9 cm                   | 19" / 48.3 cm     | -.15" / -.38 cm  | 11.2 lb / 5.1 kg  | 14.4 lb / 6.5 kg  |
| PLP-SHP65    | 19.9" / 51 cm     | 1" / 3 cm                       | 27.5" / 70 cm     | 0" / 0 cm        | 14.6 lb / 6.6 kg  | 16.3 lb / 7.4 kg  |
| †PLP SM29    | 28.7" / 73 cm     | .58" / 2 cm                     | 14.8" / 38 cm     | 0" / 0 cm        | 5.46 lb / 2.48 kg | 8.90 lb / 4.0 kg  |
| PLP SM32     | 31.12" / 79 cm    | 1.5" / 3.8 cm                   | 16.44" / 41.8 cm  | 0" / 0 cm        | 9.4 lb / 4.3 kg   | 13 lb / 5.9 kg    |
| PLP SM32A    | 30.62" / 77.8 cm  | 1.82" / 4.6 cm                  | 14.50" / 36.8 cm  | .125" / .3 cm    | 12.2 lb / 5.6 kg  | 14.7 lb / 6.7 kg  |
| PLP SM40     | 37.8" / 96 cm     | .73" / 2 cm                     | 19.7" / 50 cm     | 0" / 0 cm        | 10.6 lb / 4.8 kg  | 15 lb / 6.5 kg    |
| PLP SM40A    | 38.1" / 97 cm     | 2" / 5 cm                       | 13" / 33 cm       | 0" / 0 cm        | 10.9 lb / 5.0 kg  | 14.9 lb / 6.8 kg  |

\*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.  
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

Continued on page 5.

Peerless Industries, Inc.  
3215 W. North Ave. Melrose Park, IL 60160  
708-865-8870 800-865-2112 Fax 708-865-2941  
[www.peerlessmounts.com](http://www.peerlessmounts.com)

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.  
All other brand and product names are trademarks or registered trademarks of their respective owners.

# TECHNICAL DATA SHEET

**MODEL: PLP**

|               | Length:          | Depth:                          | Height:           | Offset*:      | Weight:           | Shipping weight: |
|---------------|------------------|---------------------------------|-------------------|---------------|-------------------|------------------|
| PLP SM40B     | 38.9" / 99 cm    | 3.4" / 9 cm                     | 28" / 71 cm       | -1.9" / 5 cm  | 11.4 lb / 5.2 kg  | 15.4 lb / 7.0 kg |
| PLP SM42      | 18.62" / 47.3 cm | .7" / 1.8 cm                    | 16" / 40.6 cm     | N/A           | 4.3 lb / 2.0 kg   | 7.5 lb / 3.4 kg  |
| PLP SM46      | 17.76" / 45.1 cm | 1.625" / 4.1 cm                 | 15.875" / 40.3 cm | 0" / 0 cm     | 6.2 lb / 2.8 kg   | 7.8 lb / 3.6 kg  |
| PLP SM50      | 28.9" / 73 cm    | .61" / 1.5 cm                   | 19" / 48 cm       | 0" / 0 cm     | 9.0 lb / 4.1 kg   | 10.8 lb / 4.9 kg |
| PLP SM63      | 28.77" / 73 cm   | 2.33" / 6 cm                    | 24.75" / 63 cm    | 0" / 0 cm     | 11.4 lb / 5.18 kg | 17 lb / 7.5 kg   |
| PLP SNY32     | 14.53" / 36.9 cm | .61" / 1.5 cm                   | 11.625" / 29.5 cm | 0" / 0 cm     | 4.0 lb / 1.8 kg   | 7.2 lb / 3.3 kg  |
| PLP SONY1PD1  | 18.87 / 48 cm    | 2.01" - 3.375"<br>(5 cm - 9 cm) | 19.69" / 50 cm    | 0" / 0 cm     | 6 lb / 3 kg       | 7 lb / 3.5 kg    |
| PLP SONY2     | 18" / 46 cm      | 1.3" / 3 cm                     | 14" / 35.6 cm     | 0" / 0 cm     | 8.8 lb / 4 kg     | 9.5 lb / 4.3 kg  |
| PLP SONY32    | 16.2" / 41 cm    | 1.6" / 4 cm                     | 7.5" / 19 cm      | 1" / 2.5 cm   | 4.5 lb / 2 kg     | 5.2 lb / 2.4 kg  |
| PLP SONY32PRO | 15.6" / 40 cm    | .61" / 1.5 cm                   | 14.3" / 36 cm     | 0" / 0 cm     | 5.0 lb / 2.3 kg   | 5.6 lb / 2.5 kg  |
| PLP SONY42    | 29.47" / 75 cm   | 2.4" / 6 cm                     | 16.5" / 42 cm     | 0" / 0 cm     | 10 lb / 4.6 kg    | 11 lb / 5 kg     |
| PLP SONY42PD1 | 29.47" / 75 cm   | 2.64" - 4.75"<br>(7 cm - 12 cm) | 16.5" / 42 cm     | 0" / 0 cm     | 13 lb / 6 kg      | 16 lb / 7.5 kg   |
| PLP SONY42XS  | 17.3" / 44 cm    | .61" / 1.5 cm                   | 14" / 35.6 cm     | 0" / 0 cm     | 4.7 lb / 2.1 kg   | 7.9 lb / 3.6 kg  |
| PLP SONY50    | 18.9" / 48 cm    | .56" / 1 cm                     | 20" / 51 cm       | 0" / 0 cm     | 6.7 lb / 3.0 kg   | 7.4 lb / 3.3 kg  |
| PLP SONY50WG  | 14.8" / 38 cm    | .61" / 1.5 cm                   | 14" / 35.6 cm     | 0" / 0 cm**   | 4.3 lb / 1.95 kg  | 5.0 lb / 2.3 kg  |
| PLP SONY955   | 20.3" / 52 cm    | .86" / 2.2 cm                   | 20" / 51 cm       | .81" / 2.1 cm | 6.9 lb / 3.1 kg   | 10.1 lb / 4.6 kg |
| PLP SP42      | 26.5" / 67.3 cm  | 1.25" / 3.2 cm                  | 16.5" / 42 cm     | 0" / 0 cm     | 8.6 lb / 3.9 kg   | 12.1 lb / 5.5 kg |
| PLP SPO42     | 28.6" / 73 cm    | .71" / 2 cm                     | 17" / 43 cm       | 0" / 0 cm     | 13.5 lb / 6.14 kg | 14.2 lb / 6.5 kg |
| PLP SVA30     | 13.24" / 34 cm   | 2.12" / 5.4 cm                  | 11.1" / 28 cm     | 0" / 0 cm     | 4.7 lb / 2.1 kg   | 5.1 lb / 2.3 kg  |
| PLP SVA42     | 20.9" / 53 cm    | .61" / 1.5 cm                   | 14.5" / 37 cm     | 0" / 0 cm     | 5.6 lb / 2.6 kg   | 8.8 lb / 4.0 kg  |
| PLP SVA42A    | 28.3" / 72 cm    | .61" / 1.5 cm                   | 16" / 41 cm       | 0" / 0 cm     | 7.6 lb / 3.5 kg   | 10.8 lb / 4.9 kg |
| PLP T32HL     | 24.88" / 63 cm   | .605" / 1.5 cm                  | 13.9" / 35 cm     | 0" / 0 cm     | 6.0 lb / 2.7 kg   | 9.2 lb / 4.2 kg  |
| PLP T46       | 21.5" / 55 cm    | .6" / 2 cm                      | 13.5" / 34.3 cm   | 0" / 0 cm     | 5.7 lb / 2.6 kg   | 8.9 lb / 4.1 kg  |
| PLP TA42      | 26.53" / 67.4 cm | .61" / 1.5 cm                   | 13.5" / 34.3 cm   | .41" / 1 cm   | 6.9 lb / 3.1 kg   | 10.1 lb / 4.6 kg |
| PLP TL46      | 25.58" / 65 cm   | .6" / 1.5 cm                    | 15.5" / 39 cm     | 0" / 0 cm     | 7.7 lb / 3.5 kg   | 11 lb / 5 kg     |
| PLP TOSH42    | 25.5" / 65 cm    | .61" / 1.5 cm                   | 14.25" / 36.2 cm  | 0" / 0 cm     | 7.2 lb / 3.3 kg   | 10.4 lb / 4.7 kg |
| PLP TS32      | 41.75" / 106 cm  | 6" / 15 cm                      | 23.81" / 60 cm    | 0" / 0 cm     | 6.1 lb / 2.8 kg   | 9.3 lb / 4.2 kg  |
| PLP TS42      | 25.5" / 65 cm    | .6" / 2 cm                      | 15" / 38 cm       | 0" / 0 cm     | 7 lb / 3.2 kg     | 11 lb / 5kg      |
| PLP ULTRA30   | 12.3" / 31.3 cm  | 1.31" / 3.3 cm                  | 9.81" / 24.9 cm   | 0" / 0 cm     | 4.0 lb / 1.8 kg   | 4.5 lb / 2.0 kg  |
| PLP UN-3      | 36.8" / 95 cm    | 3.1" / 8 cm                     | 11.5" / 29 cm     | 0" / 0 cm     | 12.6 lb / 5.7 kg  | 13.6 lb / 6.2 kg |
| PLP V100      | 10.2" / 26 cm    | .63" / 2 cm                     | 5.9" / 15 cm      | 0" / 0 cm     | 2.9 lb / 1.3 kg   | 3.4 lb / 1.5 kg  |
| PLP V100S     | 10.2" / 26 cm    | .63" / 2 cm                     | 5.9" / 15 cm      | 0" / 0 cm     | 2.9 lb / 1.3 kg   | 3.4 lb / 1.5 kg  |
| PLP V400PD1   | 24.71" / 63 cm   | 1.73" - 4.54"<br>(4 cm - 12 cm) | 9" / 23 cm        | 0" / 0 cm     | 6.5 lb / 3 kg     | 8 lb / 3.5 kg    |
| PLP V400S     | 10.3" / 26.1 cm  | .61" / 1.5 cm                   | 8.8" / 22 cm      | 0" / 0 cm     | 3.25 lb / 1.5 kg  | 4.0 lb / 1.8 kg  |
| PLP-V2X1      | 10.25" / 26 cm   | .75" / 1.9 cm                   | 9" / 22.9 cm      | 0" / 0 cm     | 3.5 lb / 1.6 kg   | 4 lb / 1.8 kg    |
| PLP-V2X2      | 9.38" / 23.8 cm  | .61" / 1.5 cm                   | 8.79" / 22.3 cm   | 0" / 0 cm     | 3.5 lb / 1.6 kg   | 4 lb / 1.8 kg    |
| PLP-V3X2      | 12.79" / 32.5 cm | .60" / 1.5 cm                   | 8.89" / 22.6 cm   | 0" / 0 cm     | 3.28 lb / 1.5 kg  | 3.92 lb / 1.8 kg |
| PLP-V3X3      | 13.03" / 33 cm   | .60" / 1.5 cm                   | 12.63" / 32 cm    | 0" / 0 cm     | 3.72 lb / 1.68 kg | 7.2 lb / 3.27 kg |

\*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.  
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

Continued on page 6.

Peerless Industries, Inc.  
3215 W. North Ave. Melrose Park, IL 60160  
708-865-8870 800-865-2112 Fax 708-865-2941  
[www.peerlessmounts.com](http://www.peerlessmounts.com)

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.  
All other brand and product names are trademarks or registered trademarks of their respective owners.

# TECHNICAL DATA SHEET

**MODEL: PLP**

|             | Length:          | Depth:         | Height:          | Offset*:        | Weight:           | Shipping weight:  |
|-------------|------------------|----------------|------------------|-----------------|-------------------|-------------------|
| PLP-V4X2    | 16.78" / 43 cm   | .60" / 1.5 cm  | 8.92" / 23 cm    | 0" / 0 cm       | 4.12 lb / 1.86 kg | 7.2 lb / 3.27 kg  |
| PLP-V4X3    | 16.72" / 42.4 cm | .60" / 1.5 cm  | 12.83" / 32.6 cm | 0" / 0 cm       | 4.59 lb / 2.25 kg | 6.7 lb / 3.04 kg  |
| PLP-V4X4    | 16.91" / 43 cm   | .60" / 1.5 cm  | 16.63" / 42 cm   | 0" / 0 cm       | 5.07 lb / 2.25 kg | 8.5 lb / 3.9 kg   |
| PLP V5X2    | 20.72" / 52.6 cm | .60" / 1.5 cm  | 8.92" / 22.7 cm  | 0" / 0 cm       | 7.4 lb / 3.3 kg   | 9 lb / 4.08 kg    |
| PLP V6X2    | 25.13" / 63.8 cm | .50" / 1 cm    | 7.5" / 19.05 cm  | 3.75" / 9.5 cm  | 6.2 lb / 2.81 kg  | 9.2 lb / 4.17 kg  |
| PLP V6X4    | 25" / 63.5 cm    | .61" / 1 cm    | 16.77" / 42.6 cm | 0" / 0 cm       | 7.03 lb / 3.2 kg  | 10.7 lb / 4.9 kg  |
| PLP V7X3    | 28.99" / 73.6 cm | .60" / 1.5 cm  | 12.83" / 32.6 cm | 0" / 0 cm       | 7.51 lb / 3.4 kg  | 8.75 lb / 4.0 kg  |
| PLP-V8X4    | 32.76" / 83 cm   | .61" / 1.5 cm  | 17" / 43 cm      | 0" / 0 cm       | 11.5 lb / 5.2 kg  | 14.88 lb / 6.7 kg |
| PLP-V8X4-LG | 32.56" / 82.7 cm | .61" / 1.5 cm  | 16.6" / 42.2 cm  | .5" / .6 cm     | 8.7 lb / 3.9 kg   | 11.64 lb / 5.3 kg |
| PLP VIZ37   | 21.5" / 54.5 cm  | .605" / 1.5 cm | 9.6" / 24.4 cm   | 0" / 0 cm       | 5.4 lb / 2.5 kg   | 8.6 lb / 3.9 kg   |
| PLP VIZ42   | 25" / 64 cm      | 1.34" / 3.4 cm | 17.23" / 44 cm   | .5" / .6 cm     | 7.9 lb / 3.6 kg   | 11.4 lb / 5.2 kg  |
| PLP VIZ47   | 26.5" / 67 cm    | .60" / 1.5 cm  | 13 / 33 cm       | 0" / 0 cm       | 7.1 lb / 3.2 kg   | 10.3 lb / 4.7 kg  |
| PLP VN42    | 23" / 59 cm      | .61" / 1.5 cm  | 9.8" / 25 cm     | -.25" / 1.3 cm  | 5.6 lb / 2.5 kg   | 8.8 lb / 4 kg     |
| PLP VN50    | 28.78" / 65.5 cm | .61" / 1.5 cm  | 17.5" / 44.5 cm  | 0" / 0 cm       | 8.1 lb / 3.7 kg   | 11.3 lb / 5.1 kg  |
| PLP VPW50   | 28.8" / 73 cm    | .73" / 2 cm    | 16.5" / 42 cm    | 0" / 0 cm       | 8.4 lb / 3.82 kg  | 11.88 lb / 5.4 kg |
| PLP VS27    | 13.5" / 34.3 cm  | 1.25" / 3 cm   | 9.4" / 24 cm     | -1.75" / -4 cm  | 3.1 lb / 1.4 kg   | 3.5 lb / 1.6 kg   |
| PLP VS30    | 17.0" / 43 cm    | 1.25" / 3 cm   | 7.5" / 19 cm     | 0" / 0 cm       | 4.3 lb / 2.0 kg   | 6.2 lb / 2.8 kg   |
| PLP VS32    | 25.0" / 64 cm    | 1.25" / 3 cm   | 13.03" / 33 cm   | 0" / 0 cm       | 6.9 lb / 3.1 kg   | 10.2 lb / 4.6 kg  |
| PLP X37SV   | 18.5" / 47 cm    | .605" / 1.5 cm | 9.9" / 25 cm     | 0" / 0 cm       | 4.6 lb / 2.1 kg   | 7.8 lb / 3.5 kg   |
| PLP X42GV   | 20.8" / 53 cm    | .605" / 1.5 cm | 9.6" / 24 cm     | 0" / 0 cm       | 5.5 lb / 2.5 kg   | 8.9 lb / 4.0 kg   |
| PLP XS955   | 20.3" / 52 cm    | .86" / 2.2 cm  | 15.9" / 40.4 cm  | KDE-37XS955     | 6.3 lb / 2.9 kg   | 9.5 lb / 4.3 kg   |
|             |                  |                |                  | -4.6" / 11.7 cm |                   |                   |
|             |                  |                |                  | KDE-42XS955     |                   |                   |
|             |                  |                |                  | -1.6" / 4.1 cm  |                   |                   |
|             |                  |                |                  | KDE-50XS955     |                   |                   |
|             |                  |                |                  | -.82" / 2.1 cm  |                   |                   |
| PLP ZEN30   | 10.2" / 26 cm    | 1.6" / 4 cm    | 11.8" / 30 cm    | 0" / 0 cm       | 3.3 lb / 1.5 kg   | 4 lb / 1.8 kg     |
| PLP ZEN42   | 26.1" / 66 cm    | .61" / 1.5 cm  | 11.6" / 30 cm    | 0" / 0 cm       | 6.59 lb / 3 kg    | 7.3 lb / 3.3 kg   |
| PLP ZN40    | 23.9" / 61 cm    | .7" / 1.8 cm   | 14" / 35.6 cm    | 0" / 0 cm       | 4 lb / 1.8 kg     | 5 lb / 2.3 kg     |
| PLP ZEN50   | 27.4" / 70 cm    | .61" / 1.5 cm  | 13" / 33 cm      | 0" / 0 cm       | 7 lb / 3.2 kg     | 7.6 lb / 3.5 kg   |
| PLP ZN60    | 29.1" / 74 cm    | 2.3" / 6 cm    | 17" / 43 cm      | 0" / 0 cm       | 9.1 lb / 4.1 kg   | 11 lb / 5 kg      |

Maximum Load Capacity: 150 lb / 68 kg

\*Maximum Load Capacity: 50 lb / 23 kg

\*\*Maximum Load Capacity: 225 lb / 102.1 kg