



Philips

Headphones with mic

- 8.6-mm drivers/closed-back
- In-ear

SHE7005/00

Compact fit

For your mobile phone

SHE7005/00 headphones with micro-efficient speakers for strong bass and clear sound. An ultra-small in-ear design for compact fit, great for long hours of listening. Anti-tangle sliders, an ideal cable management solution to prevent cable tangling.

Benefits

Enjoy quality sound

- Small efficient speakers reproduce precise sound with bass
- Perfect in-ear seal blocks out external noise

Use them for longer

- Ultra-small for snug comfy in-ear fit
- 3 interchangeable rubber ear caps for optimal fit in all ears

Always ready to go

- A 1.2 m long cable that is ideal for outdoor use
- Anti-tangle slider

Designed around you

- Sensitive and sleek mic for picking up your voice clearly

PHILIPS

Features

Small efficient speakers




Small efficient speakers for Philips earphones ensure an exact fit and deliver precise sound with powerful bass, ideal for your listening enjoyment.

Perfect in-ear seal


The Super-small speaker drivers of these Philips earphones fit comfortably inside the ear, and thanks to the exceptionally snug fit the outside noise is sealed out for a high-intensity listening experience.

Ultra-small in-ear



Ultra small, lightweight in-ear design for best fit in smaller ears, for many hours listening.

For optimal fit in all ears



With a choice of 3 interchangeable ear caps from size small to large, there is sure to be a pair that makes these Philips earphones fit your ear perfectly.

1.2 m cable

The ideal cable length to give you the freedom to put your audio device where you want.

Anti-tangle slider



When storing your headphones there is a risk that the cables tangle if not stored carefully. This makes it a hassle to store the headphones and get them ready for listening. Simply slide the anti-tangle slider towards the earpieces to keep the two earpiece cables neatly together and to minimise the risk of the cables tangling.

Sensitive and sleek microphone

Sensitive and sleek microphone for picking up your voice clearly

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Sound

Frequency response	9 - 23,000 Hz	Length	18 cm
Impedance	16 Ohm	Length	7.1 inch
Magnet type	Neodymium	Net weight	0.110 lb
Maximum power input	25 mW	Net weight	0.0501 kg
Sensitivity	107 dB	Number of consumer packages	3
Speaker diameter	8.6 mm	Tare weight	0.292 lb
Acoustic system	Closed	Tare weight	0.1323 kg
		Width	7 cm
		Width	2.8 inch

Connectivity

Cable Connection	two-parallel, symmetric
Cable length	1.2 m
Connector	3.5 mm
Finishing of connector	chrome-plated

Inner Carton

Gross weight	0.402 lb
Gross weight	0.1824 kg
GTIN	2 69 23410 71470 2
Height	4.1 inch
Height	10.5 cm

Outer Carton

Gross weight	3.724 lb
Gross weight	1.6892 kg
GTIN	1 69 23410 71470 5
Height	9.8 inch
Height	25 cm
Length	38 cm
Length	150 inch
Net weight	0.884 lb
Net weight	0.4008 kg
Number of consumer packages	24

Tare weight	2.840 lb
Tare weight	1.2884 kg
Width	16 cm
Width	6.3 inch

Packaging dimensions

Depth	0.8 inch
Depth	2 cm
EAN	69 23410 71470 8
Gross weight	0.114 lb
Gross weight	0.0518 kg
Height	17.5 cm
Height	6.9 inch
Net weight	0.037 lb
Net weight	0.0167 kg
Number of products included	1
Packaging type	Soother

Tare weight	0.077 lb
Tare weight	0.0351 kg
Type of shelf placement	Soother
Width	9.5 cm
Width	3.7 inch

Product dimensions

Depth	0.6 inch
Depth	1.5 cm
Height	5.5 cm
Height	2.2 inch
Weight	0.0167 kg
Weight	0.037 lb
Width	2.0 inch
Width	5 cm



data subject to change
2016, March 19

Version: 4.1.5
EAN: 6923410714708

© 2016 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com