



Philips AVENT
DECT baby monitor

Crystal clear



SCD510/00

Reassurance with crystal clear sound

Zero interference guaranteed with DECT technology

Enjoy complete peace of mind with the new Philips AVENT SCD510/00 DECT Baby Monitor you can relax, safe in the knowledge your baby's happy even when you are out the room.

Zero interference

- DECT technology guarantees zero interference

Crystal clear sound

- Reassurance with crystal clear sound
- Choose the best sound level for your surroundings
- LEDs light to signal noise levels

330 m range

- Extra long range for total mobility
- Up to 24 hour operation time before recharge
- Always know that you are connected
- Belt clip for convenient, hands-free monitoring

Soothing sights and sounds

- Soft glow comforts baby if it wakes
- Stay connected with talk back

PHILIPS
AVENT

Highlights

Guaranteed zero interference



DECT technology guarantees zero interference from any other transmitting product like other baby monitors, cordless phones and cell phones. Data encryption provides a secure and private connection, so you can be sure that you are the only one that can hear your baby

Superior operating time




The small, rechargeable parent unit will give you the freedom of cordless roaming for up to 24 hours before re-charging is required

Adjustable sound sensitivity




Enables you to adjust the sound and volume levels, so you can hear every giggle, gurgle and hic-up

Extended operating range



With a range of 330m you can be fully mobile in and around the home

Two way communication



Sometimes all your baby needs is the soothing sound of your voice. With one click of this

essential feature you can connect with your baby from anywhere around the home

Soothing night-light



Soft glow comforts baby if it wakes

LEDs light to signal noise



Lights are activated to indicate the level of sound in your baby's room, even if the volume is off

Specifications

Technical specifications

- Operating temperature range: 10 - 40 °C
- Storage temperature range: 10 - 40 °C

Tuner/Reception/Transmission

- Frequency band: DECT
- Automatic channel selection
- Number of channels: 120

Convenience

- Auto out of range warning
- Battery low indication
- Sound-level lights
- Volume control
- Sensitivity control

Accessories

- AC/DC adaptor

- Batteries
- Belt clip
- DFU/ user manual
- Quick start guide

Power

- Charging time: 8 hour(s)
- Power supply: 220 - 240 V
- Power supply: 120 V (US)
- Operating time on battery: 24 hour(s)

Logistic data

- F-box dimensions (W x H x D): 220 x 156 x 94 mm

Development stages

- Stages: Pregnancy, 0 - 6 months



Issue date 2014-08-25

Version: 9.3.1

12 NC: 8841 510 00000

© 2014 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com