



## Philips

### 5.1 Home theatre

- Double Bass Sound
- DVD

HTS5543/12

# Powerful cinematic surround sound with deep bass

## Obsessed with Sound

Pump up your home entertainment experience with the Philips home cinema system HTS5543. Speakers with double bass pipes offering powerful 1000 W surround sound and in Full HD 1080p with DVD Disc playback.

### Benefits

#### Great listening experience

- Powerful speakers with double basspipes for great sound
- Dolby Digital for ultimate movie experience
- 1000 W RMS power delivers great sound for movies and music

#### Simply enjoy all your entertainment

- Plays DVD, VCD, CD and USB devices
- HDMI for high definition movies and picture quality

- EasyLink to control all HDMI CEC devices via a single remote

#### Designed to enhance your cinema at home

- Touch panel for intuitive playback and volume control
- Wireless rear speakers option for clutter free placement
- Compact design that fits anywhere

# PHILIPS

## Features

### Double Bass Sound



Powerful speakers with a bass-reflex system and double bass pipes enhance the lower frequencies and deliver rock-solid, deep bass sounds. You'll be able to hear the lowest murmur or the deepest roar.

### Dolby Digital



Because Dolby Digital standards, the world's leading digital multi-channel audio standards, make use of the way the human ear naturally processes sound, you experience superb quality surround sound audio with realistic spatial cues.

### 1000 W RMS power



### Plays it all



Play virtually any disc and any media devices you want - whether they are DVDs, VCDs, CDs or USB devices. Experience the unbeatable convenience of great playability, and the luxury of sharing media files on your TV or home theatre system.

### HDMI for HD movies




HDMI is a direct digital connection that can carry digital HD video as well as digital multichannel audio. By eliminating the conversion to analogue signals it delivers perfect picture and sound quality, completely free from noise. Movies in standard definition can now be enjoyed in true high definition resolution—ensuring more details and more true-to-life pictures.

### EasyLink




EasyLink lets you control multiple devices like DVD players, Blu-ray players, soundbar speakers, Home theatre systems and TVs etc. with one remote. It uses HDMI CEC industry-standard protocol to share functionality between devices through the HDMI cable. With one touch of a button, you can operate all your connected HDMI CEC-enabled equipment simultaneously. Functions like standby and play can now be carried out with absolute ease.

### Touch panel for playback



Intuitive touch panel control allows you to control the volume as well as other playback options by simply pressing the touch sensitive controls on the front panel.

### Wireless rear speakers option



Wireless rear speakers give you scalability and mobility in speaker placement. Developed using interference-free technology, wireless speakers provide full surround sound without unsightly wire connections.

### Compact design



## Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

### Sound

|                                |                                                              |
|--------------------------------|--------------------------------------------------------------|
| Equalizer settings             | Movie<br>Music<br>Original<br>News<br>Gaming                 |
| Sound Enhancement              | Dolby Digital Prologic II<br>Double Bass Sound<br>Night Mode |
| Sound System                   | Dolby Digital 5.1<br>DTS Digital Surround                    |
| Centre speaker output power    | 166 W                                                        |
| Satellite speaker output power | 2 x 166 W                                                    |
| Subwoofer output power         | 166 W                                                        |
| Tallboy speaker output power   | 2 x 166 W                                                    |
| Total Power RMS @ 30% THD      | 1000 W                                                       |

|                            |    |
|----------------------------|----|
| Tuner Bands                | FM |
| Number of Pre-set Channels | 40 |

### Optical Playback Media

|                |                                                                            |
|----------------|----------------------------------------------------------------------------|
| Playable Discs | CD<br>CDDA<br>CD-R/CD-RW<br>DVD<br>DVD +R/+RW<br>DVD -R/-RW<br>SVCD<br>VCD |
|----------------|----------------------------------------------------------------------------|

### File Format

|               |                            |
|---------------|----------------------------|
| Audio         | mp3<br>wma<br>JPEG         |
| Picture Video | avi<br>DivX<br>mpeg<br>mpg |

### Loudspeakers

|                               |                                                                      |
|-------------------------------|----------------------------------------------------------------------|
| Loudspeaker types             | 1 x Centre speaker<br>2 x Satellite speakers<br>2 x Tallboy speakers |
| Centre speaker drivers        | 1 x 3" Full range woofer                                             |
| Centre speaker freq. range    | 150–20,000 Hz                                                        |
| Centre speaker impedance      | 4 ohm                                                                |
| Drivers per Satellite speaker | 1 x 3" Full range woofer                                             |
| Satellite speaker impedance   | 4 ohm                                                                |
| Satellite speaker freq range  | 150–20,000 Hz                                                        |
| Drivers per Tallboy speaker   | 1 x 3" Full range woofer                                             |
| Tallboy speaker freq range    | 150–20,000 Hz                                                        |
| Tallboy speaker impedance     | 4 ohm                                                                |
| Subwoofer type                | Passive                                                              |
| Subwoofer driver              | 1 x 6.5" woofer                                                      |
| Subwoofer freq range          | 20–150 Hz                                                            |
| Subwoofer impedance           | 4 ohm                                                                |

### Audio Playback

|                    |               |
|--------------------|---------------|
| Compression format | MP3<br>WMA    |
| MP3 bit rates      | 32 - 320 kbps |

### Video Playback

|                     |                                       |
|---------------------|---------------------------------------|
| Compression formats | DivX Ultra<br>MPEG1<br>MPEG2<br>MPEG4 |
|---------------------|---------------------------------------|

### Still Picture Playback

|                     |                                                 |
|---------------------|-------------------------------------------------|
| Compression format  | JPEG<br>JPEG HD                                 |
| Picture Enhancement | Rotate<br>Slideshow with music playback<br>Zoom |

### Picture/Display

|                     |                                                                      |
|---------------------|----------------------------------------------------------------------|
| Picture enhancement | HD (720p, 1080i, 1080p/24fps)<br>Progressive scan<br>Video upscaling |
|---------------------|----------------------------------------------------------------------|

### Power

|                           |                    |
|---------------------------|--------------------|
| Power consumption         | 105 W              |
| Power supply              | 220-240 V<br>50 Hz |
| Standby power consumption | < 0.5 W            |

### Dimensions

|                                  |                    |
|----------------------------------|--------------------|
| Main Unit (W x H x D)            | 435 x 45 x 330 mm  |
| Main Unit Weight                 | 3.69 kg            |
| Centre Speaker (W x H x D)       | 223 x 102 x 80 mm  |
| Centre Speaker Weight            | 0.57 kg            |
| Centre Speaker cable length      | 2 m                |
| Front Speaker (W x H x D)        | 90 x 187 x 82 mm   |
| Front Speaker Weight             | 0.57 kg            |
| Front Speaker cable length       | 4 m                |
| Rear Tallboy Speaker (W x H x D) | 100 x 1092 x 65 mm |

### Connectivity

|                   |                                                                                                                                                                                                        |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Front Connections | Hi-Speed USB<br>Music iLINK                                                                                                                                                                            |
| Rear Connections  | AUX IN 1<br>AUX IN 2<br>Click-fit Speaker Connectors<br>Composite video (CVBS) output<br>Digital coaxial in<br>Digital optical in<br>FM Antenna Socket<br>HDMI 1.4 output (ARC)<br>Wireless Rear Audio |

### Convenience

|                     |                                                                                              |
|---------------------|----------------------------------------------------------------------------------------------|
| EasyLink (HDMI-CEC) | Audio Return Channel<br>Automatic audio input mapping<br>One touch play<br>One touch standby |
| HDMI Features       | Remote Control-Passthrough<br>Audio Return Channel (ARC)                                     |

### Tuner/Reception/Transmission

|     |              |
|-----|--------------|
| RDS | Station Name |
|-----|--------------|

|                           |                    |
|---------------------------|--------------------|
| Rear Speaker Weight       | 0.82 kg            |
| Rear Speaker cable length | 10 m               |
| Subwoofer (W x H x D)     | 178 x 303 x 343 mm |
| Subwoofer Weight          | 3.9 kg             |
| Subwoofer cable length    | 3 m                |
| Packaging (W x H x D)     | 668 x 400 x 418 mm |
| Weight incl. Packaging    | 17.15 kg           |

#### Accessories

|                        |                               |
|------------------------|-------------------------------|
| Compatible accessories | RWSS5512 Wireless Rear module |
| Included accessories   | STS3001 Speaker stand         |
|                        | 2 x AAA Batteries             |
|                        | FM antenna                    |
|                        | Power cord                    |
|                        | Quick start guide             |
|                        | Remote Control                |
|                        | Safety and Legal Leaflet      |
|                        | Trademarks Sheet              |
|                        | User manual on CD-ROM         |
|                        | World Wide Warranty leaflet   |



data subject to change  
2015, November 26

Version: 4.1.4  
EAN: 8712581639242

© 2015 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)