

TECHNICAL DATA SHEET - ADAPTER BRACKET


peerless®

MODEL: PLP



Dedicated adapter bracket used with various styles of plasma or LCD mounts.

Features:

- Includes mounting hardware to attach adapter bracket to plasma
- Finish is scratch resistant black fused epoxy



ADAPTER BRACKET MAY BE DIFFERENT THAN ILLUSTRATED.



Dimensions are located on the following pages.

ARCHITECTS SPECIFICATIONS:

The plasma adapter bracket shall be a Peerless model _____ and shall be used in combination with Peerless model _____. It shall be constructed of heavy gauge cold rolled steel. The finish shall be scratch resistant black fused epoxy. Assembly and installation shall be done according to instructions provided by the manufacturer.

Peerless Industries, Inc.
 3215 W. North Ave. Melrose Park, IL 60160
 708-865-8870 800-865-2112 Fax 708-865-2941
www.peerlessmounts.com

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.
 All other brand and product names are trademarks or registered trademarks of their respective owners.

TECHNICAL DATA SHEET

MODEL: PLP

	Length:	Depth:	Height:	Offset*:	Weight:	Shipping weight:
PLP 27KMF	16.56" / 42 cm	.61" / 1.5 cm	10.02" / 25 cm	0" / 0 cm	4.2 lb / 1.9 kg	7.4 lb / 3.4 kg
PLP 32LPLX	17.82" / 45 cm	2.53" / 6.4 cm	7.71" / 19.6 cm	-1.75" / -4.4 cm	10.6 lb / 4.8 kg	11.3 lb / 5.1 kg
PLP 4201U	17.8" / 45 cm	.61" / 1.5 cm	18" / 46 cm	0" / 0 cm	5.3 lb / 2.4 kg	9 lb / 4.5 kg
PLP A2701	16.8" / 43 cm	.605" / 2 cm	12.6" / 32 cm	0" / 0 cm	4.6 lb / 2.1 kg	7.6 lb / 3.4 kg
PLP AK26	15.82" / 40.2 cm	.61" / 1.5 cm	7.5" / 19.1 cm	0" / 0 cm	3.8 lb / 1.7 kg	4.3 lb / 2.0 kg
PLP AK2660	22.8" / 58 cm	.605" / 2 cm	12.6" / 32 cm	0" / 0 cm	5.7 lb / 2.6 kg	9.0 lb / 4.1 kg
PLP AK27	16.15" / 41 cm	.605" / 2 cm	12.25" / 31.1 cm	0" / 0 cm	4.6 lb / 2.1 kg	8.0 lb / 3.6 kg
PLP AK32	16.9" / 43 cm	.605" / 2 cm	7.7" / 19.5 cm	0" / 0 cm	4.0 lb / 1.8 kg	4.5 lb / 2.0 kg
PLP AK37	17.9" / 45 cm	.605" / 2 cm	8.6" / 22 cm	0" / 0 cm	4.4 lb / 2.0 kg	4.9 lb / 2.2 kg
PLP AK42	27.7" / 70.4 cm	.62" / 1.6 cm	15.2" / 38.6 cm	0" / 0 cm	6.3 lb / 2.9 kg	9.7 lb / 4.4 kg
PLP AO32	9.83" / 25 cm	.60" / 1.5 cm	10.35" / 26.3 cm	0" / 0 cm	3.2 lb / 1.4 kg	3.7 lb / 1.7 kg
PLP AO40	29.0" / 73.7 cm	.50" / 1.27 cm	13.25" / 33.66	0" / 0 cm	7.6 lb / 3.5 kg	10.8 lb / 4.9 kg
PLP AOC42	26.7" / 67.8 cm	.61" / 1.5 cm	10" / 25.4 cm	0" / 0 cm	7.0 lb / 3.2 kg	10.4 / 4.7 kg
PLP AV30	11.64" / 29.6 cm	.78" / 2 cm	7.21" / 18.3 cm	0" / 0 cm	3.3 lb / 1.5 kg	3.8 lb / 1.7 kg
PLP BARCO40	10.2" / 26 cm	.63" / 2 cm	5.9" / 15 cm	0" / 0 cm	3.9 lb / 1.8 kg	4.6 lb / 2.1 kg
PLP BQ26	24.66" / 63 cm	.605" / 2 cm	9.5" / 24 cm	0" / 0 cm	5.9 lb / 2.7 kg	9.1 lb / 4.1 kg
PLP BQ30	15.5" / 39 cm	.92" / 2.3 cm	8.0" / 20 cm	0.3" / 0.8 cm	4.1 lb / 1.9 kg	6.0 lb / 2.7 kg
PLP BYD30	10.2" / 25.9 cm	3.39" / 8.6 cm	13" / 33 cm	0" / 0 cm	4.5 lb / 2.1 kg	7.2 lb / 3.3 kg
PLP BYD40	21.13" / 54 cm	2" / 5.1 cm	18.16" / 46 cm	0" / 0 cm	8.4 lb / 3.8 kg	11.9 lb / 5.4 kg
PLP CR40	24.5" / 62 cm	.61" / 1.5 cm	10" / 25 cm	0" / 0 cm	6.1 lb / 2.8 kg	9.3 lb / 4.2 kg
PLP CS42	26.5" / 67 cm	.61" / 1.5 cm	16.5" / 42 cm	0" / 0 cm	7.5 lb / 3.4 kg	11 lb / 5 kg
PLP CTL27	13.8" / 35 cm	.605" / 2 cm	7.5" / 19 cm	0" / 0 cm	3.5 lb / 1.6 kg	3.9 lb / 1.8 kg
PLP CTL32	19.0" / 47.5 cm	.61" / 1.5 cm	7.4" / 19 cm	0" / 0 cm	4.4 lb / 2.0 kb	4.9 lb / 2.2 kg
PLP CV40	10" / 25 cm	.61" / 1.5 cm	7.3" / 19 cm	0" / 0 cm	2.5 lb / 1.2 kg	3.0 lb / 1.5 kg
PLP DAK1	25.2" / 64 cm	.61" / 1.5 cm	7.5" / 19 cm	0" / 0 cm	6.1 lb / 2.8 kg	10 lb / 4.5 kg
PLP DL37	22.8" / 58 cm	.605" / 2 cm	10.6" / 27 cm	0" / 0 cm	6.1 lb / 2.7 kg	9.4 lb / 4.3 kg
PLP DW42	23" / 58 cm	.61" / 1.5 cm	14" / 35.6 cm	0" / 0 cm	6 lb / 2.7 kg	9.2 lb / 4.2 kg
PLP-FJ65	62.63" / 159 cm	3.94" / 10 cm	38.19" / 97 cm	0" / 0 cm	29 lb / 13.15 kg	30.4 lb / 13.79 kg
PLP FUJ21	18.65" / 47 cm	.5" / 1 cm	7.5" / 19 cm	0" / 0 cm	4 lb / 2 kg	5 lb / 2.5 kg
PLP FUJ42	36.8" / 94 cm	3.1" / 8 cm	11.5" / 29 cm	0" / 0 cm	12.6 lb / 5.7 kg	13.6 lb / 6.2 kg
PLP FUJ4211	21" / 53 cm	.61" / 1.5 cm	13.3" / 34 cm	0" / 0 cm	6.12 lb / 2.8 kg	7.12 lb / 3.2 kg
PLP FUJ42HD	27.5" / 70 cm	.61" / 1.5 cm	16" / 41 cm	0" / 0 cm	7.64 lb / 3.47 kg	8.34 lb / 3.8 kg
PLP FUJ42HD2	27.5" / 70 cm	.61" / 1.5 cm	16" / 41 cm	0" / 0 cm	7.6 lb / 3.5 kg	10.8 lb / 4.9 kg
PLP FUJ50	27.6" / 70 cm	.61" / 1.5 cm	14.3" / 36 cm	0" / 0 cm	8.62 lb / 3.92 kg	9.32 lb / 4.2 kg
PLP FUJ61	29.6" / 75 cm	.61" / 1.5 cm	14.3" / 36 cm	0" / 0 cm	8.62 lb / 3.92 kg	9.32 lb / 4.2 kg
PLP FUJ63	27.62" / 70.2 cm	2.33" / 5.9 cm	14" / 35.6 cm	0" / 0 cm	8.2 lb / 3.7 kg	11.4 lb / 5.2 kg
PLP GW42	26.5" / 67.3 cm	2.5" / 6.4 cm	16.5" / 41.9 cm	0" / 0 cm	9.0 lb / 4.1 kg	12.5 lb / 5.7 kg
PLP GW42HD	26.5" / 67 cm	.61" / 1.5 cm	16.5" / 42 cm	0" / 0 cm	7.7 lb / 3.5 kg	10.9 lb / 4.9 kg
PLP HIT32	16.0" / 41 cm	.61" / 1.5 cm	8.3" / 21 cm	1.1 / 2.8 cm	4.0 lb / 1.8 kg	7.2 lb / 3.3 kg
PLP HT32	15.7" / 40 cm	.56" / 1 cm	12" / 31 cm	0" / 0 cm	3.4 lb / 1.55 kg	7.6 lb / 3.5 kg
PLP HT42	18.1" / 46 cm	.56" / 1 cm	14" / 35.6 cm	0" / 0 cm	3.94 lb / 1.8 kg	4.74 lb / 2.2 kg

Continued on page 3.

*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

Peerless Industries, Inc.
3215 W. North Ave. Melrose Park, IL 60160
708-865-8870 800-865-2112 Fax 708-865-2941
www.peerlessmounts.com

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.
All other brand and product names are trademarks or registered trademarks of their respective owners.

TECHNICAL DATA SHEET

MODEL: PLP

	Length:	Depth:	Height:	Offset*:	Weight:	Shipping weight:
PLP HT42PD1	20.9" / 53 cm	4.7" / 12 cm	13" / 33 cm	0" / 0 cm	5.9 lb / 2.68 kg	6.43 lb / 2.92 kg
PLP HT55	17.8" / 45 cm	.56" / 1 cm	23.3" / 59.2 cm	1.28" / 3.3 cm	6.2 lb / 2.8 kg	9.4 lb / 4.3 kg
PLP HT55HD	26.13" / 66.4 cm	.61" / 1.5 cm	23.25" / 59.1 cm	1" / 2.54 cm	7.9 lb / 3.6 kg	14.3 lb / 6.5
PLP ILY40	20.5" / 52 cm	.61" / 1.5 cm	13.2" / 34 cm	0" / 0 cm	7.5 lb / 3.4 kg	10.7 lb / 4.8 kg
PLP INFO30	12.5" / 32 cm	.63" / 2 cm	5.25" / 13 cm	0" / 0 cm	3.7 lb / 1.7 kg	4.2 lb / 1.9 kg
PLP JVC26	10.3" / 26 cm	.61" / 1.5 cm	7.1" / 18 cm	0" / 0 cm	2.8 lb / 1.3 kg	3.3 lb / 1.5 kg
PLP JVC3740	10.0" / 25.4 cm	.605" / 2 cm	10.5" / 26.67 cm	0" / 0 cm	3.5 lb / 1.6 kg	3.9 lb / 1.8 kg
PLP JVC42	22.4" / 57 cm	.7" / 1.8 cm	16" / 41 cm	0" / 0 cm	5 lb / 2.3 kg	6 lb / 2.7 kg
PLP JVC42W	44" / 112 cm	4" / 10 cm	25.5" / 65 cm	0" / 0 cm	6.7 lb / 3 kg	8.5 lb / 3.8 kg
PLP KRE27	10.6" / 27 cm	.9" / 2 cm	9.6" / 24 cm	-2.2" / 5.6 cm	3.3 lb / 1.5 kg	3.8 lb / 1.7 kg
PLP KRE30	14.43" / 37 cm	.61" / 2 cm	8.52" / 21.6 cm	0" / 0 cm	3.5 lb / 1.6 kg	4 lb / 1.8 kg
PLP LCD42PD1	32.75" / 83 cm	3.12" - 1.68" (8 cm - 4 cm)	16.5" / 42 cm	0" / 0 cm	8.3 lb / 3.8 kg	10.4 lb / 4.7 kg
PLP LG30	14" / 35.6 cm	.6" / 1.5 cm	9.25" / 23 cm	0" / 0 cm	3.9 lb / 1.8 kg	7.1 lb / 3.2 kg
PLP LG3742	24.6" / 62.5 cm	.61" / 1.5 cm	11.6" / 29.5 cm	-.31" / -.8 cm	6.3 lb / 2.9 kg	9.5 lb / 4.3 kg
PLP LG42	26.1" / 66.3 cm	1.605" / 4 cm	11.6" / 29.5 cm	0" / 0 cm	7.2 lb / 3.3 kg	10.8 lb / 4.9 kg
PLP LG42LCD	24.6" / 62.5 cm	.56" / 1 cm	11.6" / 29.5 cm	0" / 0 cm	6.3 lb / 2.9 kg	9.5 lb / 4.3 kg
PLP LG42PX	26.4" / 67 cm	2.4" / 6 cm	11.8" / 30 cm	0" / 0 cm	8.0 lb / 3.6 kg	11.6 lb / 5.2 kg
PLP LG71	36" / 91.4 cm	2.325" / 5.9 cm	17" / 43.2 cm	0" / 0 cm	11.7 lb / 5.3 kg	18.3 lb / 8.3 kg
PLP LT320	17.82" / 45 cm	2.53" / 6.4 cm	7.71" / 19.6 cm	-1.75" / -4.4 cm	10.6 lb / 4.8 kg	11.3 lb / 5.1 kg
PLP MAX32	13.13" / 33 cm	.62" / 1.6	7.5" / 19 cm	0" / 0 cm	3.2 lb / 1.4 kg	3.6 lb / 1.6 kg
PLP MES30L	24.62" / 625.35 cm	15.25" / 387.35 cm	2.125" / 53.98 cm	0" / 0 cm	7.6 / 3.4 kg	11.1 / 5.1 kg
PLP MES30P	24.62" / 625.35 cm	15.25" / 387.35 cm	2.13" / 53.98 cm	0" / 0 cm	7.6 / 3.4 kg	11.1 / 5.1 kg
PLP MES45L	30.37" / 777.4 cm	15.25" / 387.35 cm	2.25" / 57.15 cm	0" / 0 cm	9.4 / 4.2 kg	12.9 / 5.9 kg
PLP MES45P	30.37" / 777.4 cm	15.25" / 387.35 cm	2.25" / 57.15 cm	0" / 0 cm	11.0 / 5.0 kg	14.6 / 6.6 kg
PLP MITSU40	23" / 58 cm	.7" / 1.8 cm	11.4" / 29 cm	0" / 0 cm	5 lb / 2.3 kg	6 lb / 2.7 kg
PLP MVN32	18.1" / 46 cm	1.1" / 3 cm	11" / 28 cm	0" / 0 cm	5 lb / 2.3 kg	5.7 lb / 2.6 kg
PLP NEC33	19.6" / 50 cm	2.97" / 8 cm	19.7" / 50 cm	0" / 0 cm	5.5 lb / 2.5 kg	10 lb / 4.5 kg
PLP NEC42	21.9" / 56 cm	1.1" / 3 cm	16" / 41 cm	0" / 0 cm	4.6 lb / 2.1 kg	5.6 lb / 2.5 kg
PLP NEC61	35.1" / 89 cm	2.3" / 6 cm	21" / 53 cm	0" / 0 cm	13.4 lb / 6.1 kg	16.9 lb / 7.7 kg
PLP NECPD1	22.4" / 57 cm	2.4" / 6 cm	16" / 41 cm	0" / 0 cm	5.24 lb / 2.4 kg	6.24 lb / 2.8 kg
PLP NEC61PD1	35.14" / 89.3 cm	1.82" - 3.5" (4.6 cm - 9 cm)	21.25" / 54 cm	0" / 0 cm	15.6 lb / 7.1 kg	18.0 lb / 8.2 kg
PLP NOR42	18.71" / 47.5 cm	2.625" / 6.7 cm	14.5" / 36.8 cm	0" / 0 cm	7.2 lb / 3.3 kg	10.8 lb / 4.9 kg
PLP OR42	22.125" / 56 cm	6.0" / 15.2 cm	15.0" / 38.1 cm	0" / 0 cm	12.6 lb / 5.7 kg	16.4 lb / 7.4 kg
PLP PAN2632	14.5" / 36.8 cm	1.25" / 3.2 cm	9.54" / 24.2 cm	1.03" / 2.6 cm (TC-26LX20) -0.13" / -0.3 cm (TC-32LX20)	4.2 lb / 1.9 kg	4.9 lb / 2.2 kg

*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

**The Sony model KDE-61XBR950 monitor has an offset of +3.75" (9.5 cm)

Continued on page 4.

Peerless Industries, Inc.
3215 W. North Ave. Melrose Park, IL 60160
708-865-8870 800-865-2112 Fax 708-865-2941
www.peerlessmounts.com

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.
All other brand and product names are trademarks or registered trademarks of their respective owners.

TECHNICAL DATA SHEET

MODEL: PLP

	Length:	Depth:	Height:	Offset*:	Weight:	Shipping weight:
PLP PAN32	14.3" / 36 cm	.6" / 1.5 cm	11.5" / 29 cm	0" / 0 cm	3.8 lb / 1.7 kg	7 lb / 3.2 kg
PLP PAN42	28" / 71 cm	.56" / 1 cm	14.31" / 36 cm	0" / 0 cm	5 lb / 2.3 kg	11 lb / 4.9 kg
PLP PAN42PD1	29.18" / 74 cm	2.01" - 3.375" (5 cm - 9 cm)	14.31" / 36 cm	0" / 0 cm	7 lb / 3.5 kg	9 lb / 4 kg
PLP PAN42PX	28.12" / 71.4 cm	1.75" / 4.4 cm	14.31" / 36.3 cm	0" / 0 cm	9.3 lb / 4.2 kg	12.8 lb / 5.8 kg
††PLP PAN61	42" / 106.7 cm	2.325" / 5.9 cm	15" / 38.1 cm	-.44" / 1.1 cm	13.7 lb / 6.2 kg	18.7 lb / 8.5 kg
PLP PAN65	44.5" / 113 cm	2.325" / 5.9 cm	16.88" / 42.9 cm	0" / 0 cm	15.2 lb / 6.9 kg	21.3 lb / 9.7 kg
PLP PAN65PD1	43.83" / 111.3 cm	4.25" / 10.8 cm	16.88" / 42.9 cm	0" / 0 cm	25 lb / 11.3 kg	27.2 lb / 12.3 kg
PLP PANA32	14.5" / 36.8 cm	0.605" / 1.5 cm	9.5" / 24 cm	0.5" / 1.3 cm	3.8 lb / 1.7 kg	4.5 lb / 2.0 kg
PLP PH32	26.97" / 68.5 cm	.5" / 1.3 cm	11.16" / 28.3 cm	0" / 0 cm	6.8 lb / 3.1 kg	10.0 lb / 4.5 kg
PLP PH32P	27.13" / 68.9 cm	.605" / 1.54 cm	13.06" / 33.2 cm	0" / 0 cm	7.1 lb / 3.2 kg	10.5 lb / 4.8 kg
PLP PH37	27.13" / 68.9 cm	.61" / 1.55 cm	12.78" / 32.5 cm	-2.34" / -5.9 cm	7.4 lb / 3.3 kg	10.7 lb / 4.9 kg
PLP PH3742	27.13" / 68.9 cm	2.42" / 7 cm	12.78" / 32 cm	-2.34" / -5.9 cm	8.4 lb / 3.8 kg	11.8 lb / 5.4 kg
PLP PH42	26.97" / 68.5 cm	0.605" / 1.54 cm	14.81" / 37.62 cm	-.59" / 1.5 cm	7.1 lb / 3.2 kg	10.3 lb / 4.7 kg
PLP PH42HD	17.9" / 45 cm	.61" / 1.5 cm	14.8" / 38 cm	0" / 0 cm	5.0 lb / 2.3 kg	8.2 lb / 3.7 kg
PLP PH50	27" / 68.6 cm	.61" / 1.5 cm	16" / 40.6 cm	-.15" / .4 cm	7.4 lb / 3.4 kg	10.6 lb / 4.8 kg
PLP PION42	22.1" / 56 cm	.61" / 1.5 cm	16" / 41 cm	0" / 0 cm	7 lb / 3.2 kg	9 lb / 4.1 kg
PLP PION50	20.5" / 52 cm	.61" / 1.5 cm	13.2" / 34 cm	0" / 0 cm	7.5 lb / 3.4 kg	10.7 lb / 4.8 kg
PLP PLNR42	26.1" / 66 cm	.61" / 1.5 cm	11.6" / 30 cm	0" / 0 cm	7 lb / 3.2 kg	8 lb / 3.6 kg
PLP PN32	14.5" / 36.8 cm	1.3" / 3.3 cm	9.4" / 23.9 cm	-1.06" / 2.7 cm	4.2 lb / 1.9 kg	4.6 lb / 2.1 kg
PLP PS32	20.3" / 52 cm	1.2" / 3 cm	14.4" / 37 cm	0" / 0 cm	6.34 lb / 2.9 kg	7.18 lb / 3.3 kg
PLP PS42	15.3" / 39 cm	.61" / 1.5 cm	18.3" / 47 cm	0" / 0 cm	4.5 lb / 2 kg	5.2 lb / 2.4 kg
PLP RCA27	24.66" / 63 cm	.605" / 2 cm	9.5" / 24 cm	0" / 0 cm	5.9 lb / 2.7 kg	9.1 lb / 4.1 kg
PLP RCA42	26.5" / 67 cm	.61" / 1.5 cm	16.5" / 42 cm	0" / 0 cm	7.7 lb / 3.5 kg	10.9 lb / 5 kg
PLP RCA61	32.89" / 83.5 cm	2.23" / 5.7 cm	25" / 63.5 cm	1" / 2.5cm	12.9 lb / 5.9 kg	16.7 lb / 7.6 kg
PLP RUN32	23.5" / 60 cm	.5" / 1 cm	11.5" / 29 cm	1" / 2.5 cm	6.1 lb / 2.8 kg	8.6 lb / 3.9 kg
PLP RUN40	26.5" / 67 cm	.605" / 2 cm	12.3" / 31 cm	0" / 0 cm	6.8 lb / 3.1 kg	10.0 lb / 4.5 kg
PLP RUN60	35" / 89 cm	.73" / 1.8 cm	27.7" / 70 cm	0" / 0 cm	13.8 lb / 6.2 kg	19.2 lb / 8.7 kg
PLP RVX42	33.7" / 86 cm	2.7" / 7 cm	19.8" / 50 cm	0" / 0 cm	13.2 lb / 6 kg	16.3 lb / 7.4 kg
PLP SA32	18.4" / 47 cm	.5" / 1 cm	8.8" / 22 cm	0" / 0 cm	3.22 lb / 1.5 kg	4.07 lb / 1.8 kg
PLP SAM32	31.5" / 80 cm	2.8" / 7 cm	14.5" / 30.8 cm	0" / 0 cm	10.1 lb / 4.6 kg	13.3 lb / 6 kg
PLP SAN42	20.03" / 50.9 cm	13.63" / 346 cm	0.61" / 15 cm	0" / 0 cm	5.8 lb / 2.6 kg	9.0 lb / 4.1 kg
PLP SH57	23.95" / 61 cm	.73" / 1.9 cm	19" / 48 cm	0" / 0 cm	9.9 lb / 4.5 kg	13.3 lb / 6 kg
PLP SH65	27.53" / 69.9 cm	.73" / 1.9 cm	19" / 48.3 cm	-.15" / -.38 cm	11.2 lb / 5.1 kg	14.4 lb / 6.5 kg
PLP-SHP65	19.9" / 51 cm	1" / 3 cm	27.5" / 70 cm	0" / 0 cm	14.6 lb / 6.6 kg	16.3 lb / 7.4 kg
†PLP SM29	28.7" / 73 cm	.58" / 2 cm	14.8" / 38 cm	0" / 0 cm	5.46 lb / 2.48 kg	8.90 lb / 4.0 kg
PLP SM32	31.12" / 79 cm	1.5" / 3.8 cm	16.44" / 41.8 cm	0" / 0 cm	9.4 lb / 4.3 kg	13 lb / 5.9 kg
PLP SM32A	30.62" / 77.8 cm	1.82" / 4.6 cm	14.50" / 36.8 cm	.125" / .3 cm	12.2 lb / 5.6 kg	14.7 lb / 6.7 kg
PLP SM40	37.8" / 96 cm	.73" / 2 cm	19.7" / 50 cm	0" / 0 cm	10.6 lb / 4.8 kg	15 lb / 6.5 kg
PLP SM40A	38.1" / 97 cm	2" / 5 cm	13" / 33 cm	0" / 0 cm	10.9 lb / 5.0 kg	14.9 lb / 6.8 kg

*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

Continued on page 5.

Peerless Industries, Inc.
3215 W. North Ave. Melrose Park, IL 60160
708-865-8870 800-865-2112 Fax 708-865-2941
www.peerlessmounts.com

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.
All other brand and product names are trademarks or registered trademarks of their respective owners.

TECHNICAL DATA SHEET

MODEL: PLP

	Length:	Depth:	Height:	Offset*:	Weight:	Shipping weight:
PLP SM40B	38.9" / 99 cm	3.4" / 9 cm	28" / 71 cm	-1.9" / 5 cm	11.4 lb / 5.2 kg	15.4 lb / 7.0 kg
PLP SM42	18.62" / 47.3 cm	.7" / 1.8 cm	16" / 40.6 cm	N/A	4.3 lb / 2.0 kg	7.5 lb / 3.4 kg
PLP SM46	17.76" / 45.1 cm	1.625" / 4.1 cm	15.875" / 40.3 cm	0" / 0 cm	6.2 lb / 2.8 kg	7.8 lb / 3.6 kg
PLP SM50	28.9" / 73 cm	.61" / 1.5 cm	19" / 48 cm	0" / 0 cm	9.0 lb / 4.1 kg	10.8 lb / 4.9 kg
PLP SM63	28.77" / 73 cm	2.33" / 6 cm	24.75" / 63 cm	0" / 0 cm	11.4 lb / 5.18 kg	17 lb / 7.5 kg
PLP SNY32	14.53" / 36.9 cm	.61" / 1.5 cm	11.625" / 29.5 cm	0" / 0 cm	4.0 lb / 1.8 kg	7.2 lb / 3.3 kg
PLP SONY1PD1	18.87 / 48 cm	2.01" - 3.375" (5 cm - 9 cm)	19.69" / 50 cm	0" / 0 cm	6 lb / 3 kg	7 lb / 3.5 kg
PLP SONY2	18" / 46 cm	1.3" / 3 cm	14" / 35.6 cm	0" / 0 cm	8.8 lb / 4 kg	9.5 lb / 4.3 kg
PLP SONY32	16.2" / 41 cm	1.6" / 4 cm	7.5" / 19 cm	1" / 2.5 cm	4.5 lb / 2 kg	5.2 lb / 2.4 kg
PLP SONY32PRO	15.6" / 40 cm	.61" / 1.5 cm	14.3" / 36 cm	0" / 0 cm	5.0 lb / 2.3 kg	5.6 lb / 2.5 kg
PLP SONY42	29.47" / 75 cm	2.4" / 6 cm	16.5" / 42 cm	0" / 0 cm	10 lb / 4.6 kg	11 lb / 5 kg
PLP SONY42PD1	29.47" / 75 cm	2.64" - 4.75" (7 cm - 12 cm)	16.5" / 42 cm	0" / 0 cm	13 lb / 6 kg	16 lb / 7.5 kg
PLP SONY42XS	17.3" / 44 cm	.61" / 1.5 cm	14" / 35.6 cm	0" / 0 cm	4.7 lb / 2.1 kg	7.9 lb / 3.6 kg
PLP SONY50	18.9" / 48 cm	.56" / 1 cm	20" / 51 cm	0" / 0 cm	6.7 lb / 3.0 kg	7.4 lb / 3.3 kg
PLP SONY50WG	14.8" / 38 cm	.61" / 1.5 cm	14" / 35.6 cm	0" / 0 cm**	4.3 lb / 1.95 kg	5.0 lb / 2.3 kg
PLP SONY955	20.3" / 52 cm	.86" / 2.2 cm	20" / 51 cm	.81" / 2.1 cm	6.9 lb / 3.1 kg	10.1 lb / 4.6 kg
PLP SP42	26.5" / 67.3 cm	1.25" / 3.2 cm	16.5" / 42 cm	0" / 0 cm	8.6 lb / 3.9 kg	12.1 lb / 5.5 kg
PLP SPO42	28.6" / 73 cm	.71" / 2 cm	17" / 43 cm	0" / 0 cm	13.5 lb / 6.14 kg	14.2 lb / 6.5 kg
PLP SVA30	13.24" / 34 cm	2.12" / 5.4 cm	11.1" / 28 cm	0" / 0 cm	4.7 lb / 2.1 kg	5.1 lb / 2.3 kg
PLP SVA42	20.9" / 53 cm	.61" / 1.5 cm	14.5" / 37 cm	0" / 0 cm	5.6 lb / 2.6 kg	8.8 lb / 4.0 kg
PLP SVA42A	28.3" / 72 cm	.61" / 1.5 cm	16" / 41 cm	0" / 0 cm	7.6 lb / 3.5 kg	10.8 lb / 4.9 kg
PLP T32HL	24.88" / 63 cm	.605" / 1.5 cm	13.9" / 35 cm	0" / 0 cm	6.0 lb / 2.7 kg	9.2 lb / 4.2 kg
PLP T46	21.5" / 55 cm	.6" / 2 cm	13.5" / 34.3 cm	0" / 0 cm	5.7 lb / 2.6 kg	8.9 lb / 4.1 kg
PLP TA42	26.53" / 67.4 cm	.61" / 1.5 cm	13.5" / 34.3 cm	.41" / 1 cm	6.9 lb / 3.1 kg	10.1 lb / 4.6 kg
PLP TL46	25.58" / 65 cm	.6" / 1.5 cm	15.5" / 39 cm	0" / 0 cm	7.7 lb / 3.5 kg	11 lb / 5 kg
PLP TOSH42	25.5" / 65 cm	.61" / 1.5 cm	14.25" / 36.2 cm	0" / 0 cm	7.2 lb / 3.3 kg	10.4 lb / 4.7 kg
PLP TS32	41.75" / 106 cm	6" / 15 cm	23.81" / 60 cm	0" / 0 cm	6.1 lb / 2.8 kg	9.3 lb / 4.2 kg
PLP TS42	25.5" / 65 cm	.6" / 2 cm	15" / 38 cm	0" / 0 cm	7 lb / 3.2 kg	11 lb / 5kg
PLP ULTRA30	12.3" / 31.3 cm	1.31" / 3.3 cm	9.81" / 24.9 cm	0" / 0 cm	4.0 lb / 1.8 kg	4.5 lb / 2.0 kg
PLP UN-3	36.8" / 95 cm	3.1" / 8 cm	11.5" / 29 cm	0" / 0 cm	12.6 lb / 5.7 kg	13.6 lb / 6.2 kg
PLP V100	10.2" / 26 cm	.63" / 2 cm	5.9" / 15 cm	0" / 0 cm	2.9 lb / 1.3 kg	3.4 lb / 1.5 kg
PLP V100S	10.2" / 26 cm	.63" / 2 cm	5.9" / 15 cm	0" / 0 cm	2.9 lb / 1.3 kg	3.4 lb / 1.5 kg
PLP V400PD1	24.71" / 63 cm	1.73" - 4.54" (4 cm - 12 cm)	9" / 23 cm	0" / 0 cm	6.5 lb / 3 kg	8 lb / 3.5 kg
PLP V400S	10.3" / 26.1 cm	.61" / 1.5 cm	8.8" / 22 cm	0" / 0 cm	3.25 lb / 1.5 kg	4.0 lb / 1.8 kg
PLP-V2X1	10.25" / 26 cm	.75" / 1.9 cm	9" / 22.9 cm	0" / 0 cm	3.5 lb / 1.6 kg	4 lb / 1.8 kg
PLP-V2X2	9.38" / 23.8 cm	.61" / 1.5 cm	8.79" / 22.3 cm	0" / 0 cm	3.5 lb / 1.6 kg	4 lb / 1.8 kg
PLP-V3X2	12.79" / 32.5 cm	.60" / 1.5 cm	8.89" / 22.6 cm	0" / 0 cm	3.28 lb / 1.5 kg	3.92 lb / 1.8 kg
PLP-V3X3	13.03" / 33 cm	.60" / 1.5 cm	12.63" / 32 cm	0" / 0 cm	3.72 lb / 1.68 kg	7.2 lb / 3.27 kg

*A positive offset indicates that the adapter bracket is mounted below the center of the monitor.
A negative offset indicates that the adapter bracket is mounted above the center of the monitor.

Continued on page 6.

Peerless Industries, Inc.
3215 W. North Ave. Melrose Park, IL 60160
708-865-8870 800-865-2112 Fax 708-865-2941
www.peerlessmounts.com

ISSUED: 05-21-01 SHEET NO: 200-9626-132 11-18-08

© 2008, Peerless Industries, Inc. All rights reserved.
All other brand and product names are trademarks or registered trademarks of their respective owners.

TECHNICAL DATA SHEET

MODEL: PLP

	Length:	Depth:	Height:	Offset*:	Weight:	Shipping weight:
PLP-V4X2	16.78" / 43 cm	.60" / 1.5 cm	8.92" / 23 cm	0" / 0 cm	4.12 lb / 1.86 kg	7.2 lb / 3.27 kg
PLP-V4X3	16.72" / 42.4 cm	.60" / 1.5 cm	12.83" / 32.6 cm	0" / 0 cm	4.59 lb / 2.25 kg	6.7 lb / 3.04 kg
PLP-V4X4	16.91" / 43 cm	.60" / 1.5 cm	16.63" / 42 cm	0" / 0 cm	5.07 lb / 2.25 kg	8.5 lb / 3.9 kg
PLP V5X2	20.72" / 52.6 cm	.60" / 1.5 cm	8.92" / 22.7 cm	0" / 0 cm	7.4 lb / 3.3 kg	9 lb / 4.08 kg
PLP V6X2	25.13" / 63.8 cm	.50" / 1 cm	7.5" / 19.05 cm	3.75" / 9.5 cm	6.2 lb / 2.81 kg	9.2 lb / 4.17 kg
PLP V6X4	25" / 63.5 cm	.61" / 1 cm	16.77" / 42.6 cm	0" / 0 cm	7.03 lb / 3.2 kg	10.7 lb / 4.9 kg
PLP V7X3	28.99" / 73.6 cm	.60" / 1.5 cm	12.83" / 32.6 cm	0" / 0 cm	7.51 lb / 3.4 kg	8.75 lb / 4.0 kg
PLP-V8X4	32.76" / 83 cm	.61" / 1.5 cm	17" / 43 cm	0" / 0 cm	11.5 lb / 5.2 kg	14.88 lb / 6.7 kg
PLP-V8X4-LG	32.56" / 82.7 cm	.61" / 1.5 cm	16.6" / 42.2 cm	.5" / .6 cm	8.7 lb / 3.9 kg	11.64 lb / 5.3 kg
PLP VIZ37	21.5" / 54.5 cm	.605" / 1.5 cm	9.6" / 24.4 cm	0" / 0 cm	5.4 lb / 2.5 kg	8.6 lb / 3.9 kg
PLP VIZ42	25" / 64 cm	1.34" / 3.4 cm	17.23" / 44 cm	.5" / .6 cm	7.9 lb / 3.6 kg	11.4 lb / 5.2 kg
PLP VIZ47	26.5" / 67 cm	.60" / 1.5 cm	13 / 33 cm	0" / 0 cm	7.1 lb / 3.2 kg	10.3 lb / 4.7 kg
PLP VN42	23" / 59 cm	.61" / 1.5 cm	9.8" / 25 cm	-.25" / 1.3 cm	5.6 lb / 2.5 kg	8.8 lb / 4 kg
PLP VN50	28.78" / 65.5 cm	.61" / 1.5 cm	17.5" / 44.5 cm	0" / 0 cm	8.1 lb / 3.7 kg	11.3 lb / 5.1 kg
PLP VPW50	28.8" / 73 cm	.73" / 2 cm	16.5" / 42 cm	0" / 0 cm	8.4 lb / 3.82 kg	11.88 lb / 5.4 kg
PLP VS27	13.5" / 34.3 cm	1.25" / 3 cm	9.4" / 24 cm	-1.75" / -4 cm	3.1 lb / 1.4 kg	3.5 lb / 1.6 kg
PLP VS30	17.0" / 43 cm	1.25" / 3 cm	7.5" / 19 cm	0" / 0 cm	4.3 lb / 2.0 kg	6.2 lb / 2.8 kg
PLP VS32	25.0" / 64 cm	1.25" / 3 cm	13.03" / 33 cm	0" / 0 cm	6.9 lb / 3.1 kg	10.2 lb / 4.6 kg
PLP X37SV	18.5" / 47 cm	.605" / 1.5 cm	9.9" / 25 cm	0" / 0 cm	4.6 lb / 2.1 kg	7.8 lb / 3.5 kg
PLP X42GV	20.8" / 53 cm	.605" / 1.5 cm	9.6" / 24 cm	0" / 0 cm	5.5 lb / 2.5 kg	8.9 lb / 4.0 kg
PLP XS955	20.3" / 52 cm	.86" / 2.2 cm	15.9" / 40.4 cm	KDE-37XS955	6.3 lb / 2.9 kg	9.5 lb / 4.3 kg
				-4.6" / 11.7 cm		
				KDE-42XS955		
				-1.6" / 4.1 cm		
				KDE-50XS955		
				-.82" / 2.1 cm		
PLP ZEN30	10.2" / 26 cm	1.6" / 4 cm	11.8" / 30 cm	0" / 0 cm	3.3 lb / 1.5 kg	4 lb / 1.8 kg
PLP ZEN42	26.1" / 66 cm	.61" / 1.5 cm	11.6" / 30 cm	0" / 0 cm	6.59 lb / 3 kg	7.3 lb / 3.3 kg
PLP ZN40	23.9" / 61 cm	.7" / 1.8 cm	14" / 35.6 cm	0" / 0 cm	4 lb / 1.8 kg	5 lb / 2.3 kg
PLP ZEN50	27.4" / 70 cm	.61" / 1.5 cm	13" / 33 cm	0" / 0 cm	7 lb / 3.2 kg	7.6 lb / 3.5 kg
PLP ZN60	29.1" / 74 cm	2.3" / 6 cm	17" / 43 cm	0" / 0 cm	9.1 lb / 4.1 kg	11 lb / 5 kg

Maximum Load Capacity: 150 lb / 68 kg

*Maximum Load Capacity: 50 lb / 23 kg

**Maximum Load Capacity: 225 lb / 102.1 kg