


Fiber Optic Cable - Multimode Duplex 62.5/125 - LSZH - LC/ST - 10 m

**Product ID:** FIBLCST10



The FIBLCST10 10-meter (32.8ft) Multimode 62.5/125 Duplex Fiber Patch Cable is terminated with one LC (male) connector and one ST (male) connector, to provide the necessary connection between fiber networking devices for high-speed, long distance networks.

This LC-ST patch cable is housed in a LSZH (Low-Smoke, Zero-Halogen) flame retardant jacket, to ensure minimal smoke, toxicity and corrosion when exposed to high sources of heat, in the event of a fire. Making it ideal for use in industrial settings, central offices and schools, as well as residential settings where building codes are a consideration.

To ensure optimum performance, our multimode fiber duplex cable is individually tested and certified to be within acceptable optical insertion loss limits for guaranteed compatibility and 100% reliability.

Backed by Lifetime Warranty, our LC-ST Multimode Fiber Patch cable is guaranteed to provide long-lasting dependability, and top quality performance.

## Certifications, Reports and Compatibility



## Applications

- Used by long distance networks with mission critical data
- Telecommunication/Data communication
- Broadband systems

- Ideal solution for data applications requiring high speed data transmission

## Features

- Attenuation loss meets or exceeds industry standards
- LSZH (Low-Smoke, Zero-Halogen) cable jacket
- Immune to electrical interference

---

### Hardware

|             |                                     |
|-------------|-------------------------------------|
| Warranty    | Lifetime                            |
| Fire Rating | LSZH Rated (Low Smoke Zero Halogen) |
| Fiber Size  | 62.5/125                            |

---

### Performance

|                            |                |
|----------------------------|----------------|
| Maximum Data Transfer Rate | 10Gbps         |
| Cable Rating               | 1Gbps / 10Gbps |
| Fiber Classification       | OM1            |
| Type                       | Multi Mode     |

---

### Connector(s)

|             |                           |
|-------------|---------------------------|
| Connector A | 1 - Fiber Optic LC Duplex |
| Connector B | 1 - Fiber Optic ST Duplex |

---

### Environmental

|                       |                           |
|-----------------------|---------------------------|
| Operating Temperature | -20C to 60C (-4F to 140F) |
| Storage Temperature   | -20C to 60C (-4F to 140F) |
| Humidity              | 0~90% RH                  |

---

### Physical Characteristics

|                |                  |
|----------------|------------------|
| Color          | Orange           |
| Cable Length   | 32.8 ft [10 m]   |
| Product Length | 32.8 ft [10.0 m] |



|                   |                 |
|-------------------|-----------------|
| Product Width     | 0.0 in [0.0 mm] |
| Product Height    | 0.0 in [0.0 mm] |
| Weight of Product | 0.0 oz [0.0 g]  |

---

**Packaging  
Information**

|                              |                  |
|------------------------------|------------------|
| Package Length               | 7.8 in [19.9 cm] |
| Package Width                | 0.7 in [1.7 cm]  |
| Package Height               | 8.3 in [21.1 cm] |
| Shipping (Package)<br>Weight | 2.8 oz [80.0 g]  |

---

*\*Product appearance and specifications are subject to change without notice.*

