



Philips Brilliance  
AMVA LCD monitor, LED  
backlight

**Blade 2**  
24"/61 cm  
Full HD display

**Brilliance**

**249C4QHSB**



## Stunningly beautiful

### Ultra Slim high performance AMVA display

The new Philips Blade 2 monitor with stylish, ultra slim design and wide view AMVA display is ready for brilliant performance

#### Brilliant performance

- AMVA LED for wide-view super-high contrast, vivid images
- HDMI-ready for Full HD entertainment
- SmartContrast 20,000,000:1 for incredible rich black details
- SmartImage: Optimised user-friendly display experience
- SmartTxt for an optimised reading experience
- SmartKolor for rich vibrant images

#### Design that complements any interior

- Stylish, ultra-slim design for modern looks
- Superb glossy finish with distinctive features
- Modern Touch controls

#### Greener every day

- Eco-friendly materials that meet international standards


**PHILIPS**

AMVA LCD monitor, LED backlight  
Blade 2 24"/61 cm, Full HD display

249C4QHSB/00


# Highlights

## AMVA LED display



Philips AMVA LED display uses an advanced multi-domain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, films, gaming and demanding graphical applications. Its optimised pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images even in 90 degree pivot mode

## SmartImage



SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and gives you optimised display performance. This user-friendly interface allows you to select various modes like Office, Image, Entertainment, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

## Stylish, ultra-slim design

The new range of Philips monitors uses the latest new-generation ultra-slim LED, thereby allowing designs to be much slimmer than


previous generations. Slim looks not only allow the monitors to look aesthetically pleasing, but also save space on the desk!!

## SmartKolor




SmartKolor is a sophisticated colour extension technology that is able to enhance the visual colour range of the display. By boosting the RGB gain level of the display, you can achieve rich, vibrant images to experience outstanding photos and videos.

## SmartTxt



SmartTxt is a sophisticated algorithm that enhances reading of text-based applications such as PDF documents or ebooks, which usually require more focus and concentration.

## SmartContrast ratio 20,000,000:1



You want the LCD flat display with the highest contrast and most vibrant images. Philips advanced video processing combined with unique extreme dimming and backlight-

boosting technology results in vibrant images. SmartContrast will increase the contrast with excellent black level and accurate rendition of dark shades and colours. It gives a bright, lifelike picture with high contrast and vibrant colours.

## HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input, high quality digital video and audio signals all transmitted over a single cable from a PC or any number of AV sources including set-top boxes, DVD players and A/V receivers and video cameras.

## Touch controls

Touch controls are intelligent, touch sensitive icons that replace protruding buttons that lets the user adjust the monitor to their requirement. Responding to your lightest touch, Touch control gives the monitor a modern feel

## Eco-friendly materials

"Philips is committed to using sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilise up to 65% post-consumer recycled plastics. Strict adherence to RoHS standards ensures substantial reduction or elimination of toxic substances like lead, for example. Mercury content in monitors with CCFL backlights has been reduced significantly and eliminated completely in monitors with LED backlights. Visit Philips at <http://www.asimpleswitch.com/global/> to learn more.



# Specifications

## Picture/Display

- LCD panel type: AMVA LCD
- Backlight type: W-LED system
- Panel Size: 24 inch/61 cm
- Effective viewing area: 531.36 (H) x 298.89 (V)
- Aspect ratio: 16:9
- Optimum resolution: 1920 x 1080 @ 60 Hz
- SmartResponse (typical): 6 ms (Grey to Grey)
- Brightness: 250 cd/m<sup>2</sup>
- Contrast ratio (typical): 5000:1
- SmartContrast: 20,000,000:1
- Pixel pitch: 0.276 x 0.276 mm
- Viewing angle: 178° (H)/178° (V), @ C/R > 10
- Picture enhancement: SmartImage
- Display colours: 16.7 M
- Scanning Frequency: 30 - 83 kHz (H)/56 -75 Hz (V)
- sRGB

## Connectivity

- Signal Input: VGA (Analogue), HDMI x 2
- Sync Input: Separate Sync, Sync on Green
- Audio (In/Out): HDMI audio out

## Convenience

- User convenience: Menu, Turbo, Power On/Off, Input, SmartImage
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish
- Other convenience: Kensington lock
- Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 7/Vista/XP

## Stand

- Tilt: -3/+15 degree

## Power

- On mode: 24.2 W (typ.)

- Standby mode: 0.3 W
- Off mode: 0.3 W
- Power LED indicator: Operation - White, Standby mode - White (flashing)
- Power supply: External, 100-240 VAC, 50-60 Hz

## Dimensions

- Product with stand (mm): 569 x 434 x 180 mm
- Product without stand (mm): 569 x 350 x 34 mm
- Packaging in mm (W x H x D): 617 x 569 x 133 mm

## Weight

- Product with stand (kg): 3.33 kg
- Product without stand (kg): 2.33 kg
- Product with packaging (kg): 5.02 kg

## Operating conditions

- Temperature range (operation): 0 to 40 °C
- Temperature range (storage): -20 to 60 °C
- Relative humidity: 20–80% %
- MTBF: 30,000 hour(s)

## Sustainability

- Environmental and energy: RoHS, Lead-free, Mercury Free
- Recyclable packaging material: 100 %

## Compliance and standards

- Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, SASO, SEMKO, TUV/ISO9241-307, UL/cUL, WEEE

## Cabinet

- Front bezel: Black
- Rear cover: Black
- Foot: Black
- Finish: Glossy



Issue date 2015-01-27

Version: 5.0.1

12 NC: 8670 000 90532  
EAN: 87 12581 64588 5

© 2015 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)